THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 1. Vol. XCV WEEK ENDED SATURDAY, 4th JANUARY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 317—168 boys and 149 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 271. Of these, 10 deaths were due to tuberculosis, 5 to influenza and 38 to malignant neoplasms. There was one accidental death. There were 2 suicides.

Among the deaths of infants under one year, 9 were due to pneumonia, 8 to congenital malformation, 6 to prematurity, 2 to gastro-enteritis, one to injury at birth and one to pneumococcal menengitis.

The total number of births registered during the week in the principal towns, was 587—310 boys and 277 girls, of which 124 boys and 107 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 395, of which 193 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 4th January, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	317	271	27	164	10	.	.	.	.	.	.	.	1	38	5	21	13	2	3	178
DUBLIN COUNTY BOROUGH	522,183	176	156	19	91	6	.	.	.	.	.	.	.	1	27	3	13	7	2	1	96
DUN LAOGHAIRE BOROUGH	47,920	14	16	1	11	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	14
CORK COUNTY BOROUGH	74,567	41	45	3	31	3	.	.	.	.	.	.	.	.	1	.	2	3	.	1	35
LIMERICK COUNTY BOROUGH	50,820	17	12	1	4	1		.	.	.	.	.	.	.	3	.	1	2	.	.	5
WATERFORD COUNTY BOROUGH	28,691	2	10	.	6	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	7
GALWAY BOROUGH	21,316	11	7	1	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6
DUNDALK URBAN DISTRICT	19 678	4	3	.	3	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.
DROGHEDA URBAN DISTRICT	16,779	11	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	13,529	14	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
BRAY URBAN DISTRICT	12.062	8	3	1	2	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
WEXFORD URBAN DISTRICT	11,979	4	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
TRALEE URBAN DISTRICT	11,045	5	7	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	5
KILKENNY URBAN DISTRICT	10,572	7	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
CLONMEL URBAN DISTRICT	10,471	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
BELFAST	443,680	183	91	8	57	1	.	.	.	.	.	.	.	.	.	.	21	8	.	.	.
DERRY	50,095	24	6	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Notes The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 4th January, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	19	.	.	.	.	.	.	.	.	.	.	.	6	.	2	.	11
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	6	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	3
45–64	40	5	.	.	.	.	.	.	.	1	11	2	1	4	.	1	15
65 and over	91	1	.	.	.	.	.	.	.	.	13	1	6	3	.	.	67
TOTAL	156	6	.	.	.	.	.	.	.	1	27	3	13	7	2	1	96
	CORK COUNTY BOROUGH																
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	10	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	6
65 and over	31	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	26
TOTAL	45	3	.	.	.	.	.	.	.	.	1	.	2	3	.	1	35
	TWELVE OTHER TOWNS																
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	23	1	.	.	.	.	.	.	.	.	2	.	1	3	.	.	16
65 and over	42	.	.	.	.	.	.	.	.	.	8	2	2	.	.	1	29
TOTAL	70	1	.	.	.	.	.	.	.	.	10	2	6	3	.	1	47

D151. 17480/1. G.70. 165.1/58. DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 2. Vol. XCV WEEK ENDED SATURDAY, 11th JANUARY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 353—196 boys and 157 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 202. Of these, 3 deaths were due to tuberculosis, 4 to influenza and 33 to malignant neoplasms. There were 7 accidental deaths, 3 of which were due to transport accidents and one to drowning.

Among the deaths of infants under one year, 4 were due to pneumonia, one to congenital malformation, one to gastro-enteritis, one to injury at birth, one to bronchitis, one to atelectasis, one to asphyxia and one to macrocytic anaemia.

The total number of births registered during the week in the principal towns, was 557—292 boys and 265 girls, of which 162 boys and 121 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 335, of which 167 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 11th January, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
				Under 1 year of age	65 years and upward	CAUSED BY															
						Tuberculosis										Diseases of the respiratory system					
						Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	851,612	353	202	11	126	3	.	.	.	.	.	.	.	1	33	4	11	13	1	7	129
DUBLIN COUNTY BOROUGH	522,183	207	122	7	71	3	.	.	.	.	.	.	.	1	24	2	8	5	1	7	71
DUN LAOGHAIRE BOROUGH	47,920	18	10	.	8	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	7
CORK COUNTY BOROUGH	74,567	55	30	3	20	.	.	.	.	.	.	.	.	.	2	.	3	5	.	.	20
LIMERICK COUNTY BOROUGH .. .	50,820	19	6	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5
WATERFORD COUNTY BOROUGH	28,691	12	9	.	7	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	6
GALWAY BOROUGH	21,316	8	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
DUNDALK URBAN DISTRICT	19 678	7	5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3
DROGHEDA URBAN DISTRICT	16,779	9	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
SLIGO URBAN DISTRICT	13,529	5	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.		.	.	3
BRAY URBAN DISTRICT	12.062	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	11,979	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	11,045	4	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,572	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,471	4	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
BELFAST	443,680	168	102	6	62	.	.	.	.	.	.	.	.	.	.	.	12	13	.	.	.
DERRY	50,095	23	6	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Notes The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 11th January, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	7	.	.	.	.	.	.	.	.	.	.	.	3	1	1	.	2
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
15–24	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
25–44	6	1	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1
45–64	33	2	.	.	.	.	.	.	.	.	9	2	.	1	.	1	18
65 and over	71	.	.	.	.	.	.	.	.	.	12	.	5	3	.	2	49
TOTAL	122	3	.	.	.	.	.	.	.	1	24	2	8	5	1	7	71
CORK COUNTY BOROUGH																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	6	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2
65 and over	20	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	16
TOTAL	30	.	.	.	.	.	.	.	.	.	2	.	3	5	.	.	20
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
45–64	11	.	.	.	.	.	.	.	.	.	4	.	.	2	.	.	5
65 and over	35	.	.	.	.	.	.	.	.	.	3	2	.	1	.	.	29
TOTAL	50	.	.	.	.	.	.	.	.	.	7	2	.	3	.	.	38

RECEIVED
20 JAN 1958
TRANSFER
FILE

D152. 17480/1. G.70. 165.1/58. DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 3. Vol. XCV WEEK ENDED SATURDAY, 18th JANUARY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 402—216 boys and 186 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 222. Of these, 5 deaths were due to tuberculosis, one to diphtheria, one to influenza and 28 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents.

Among the deaths of infants under one year, 8 were due to pneumonia, 4 to congenital malformation, 3 to prematurity, one to gastro-enteritis, one to erythroblastosis, one to peritonitis, one to neo-natal infection, one to meningioma, one to hepatitis and one to asphyxia.

The total number of births registered during the week in the principal towns, was 632—330 boys and 302 girls, of which 214 boys and 197 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 305, of which 167 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 18th January, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	402	222	22	138	5	.	.	1	.	.	.	.	.	28	1	20	12	1	4	150
DUBLIN COUNTY BOROUGH	522,183	288	131	18	78	4	.	.	1	.	.	.	.	.	16	1	16	8	1	2	82
DUN LAOGHAIRE BOROUGH	47,920	13	15	2	9	.	.	.	.	.	.	.	.	.	5	.	1	.	.	.	9
CORK COUNTY BOROUGH	74,567	24	15	1	10	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	12
LIMERICK COUNTY BOROUGH	50,820	25	23	.	18	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	19
WATERFORD COUNTY BOROUGH	28,691	6	7	1	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	5
GALWAY BOROUGH	21,316	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
DUNDALK URBAN DISTRICT	19 678	13	5	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
DROGHEDA URBAN DISTRICT ..	16,779	7	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
SLIGO URBAN DISTRICT	13,529	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
BRAY URBAN DISTRICT	12.062	9	7	.	3	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	4
WEXFORD URBAN DISTRICT	11,979	2	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
TRALEE URBAN DISTRICT	11,045	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,572	3	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4
CLONMEL URBAN DISTRICT	10,471	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	443,680	193	101	10	54	1	.	.	.	.	.	.	.	.	.	.	18	11	1	.	.
DERRY	50,095	20	8	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Notes The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 18th January, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	18	.	.	.	.	.	.	.	.	.	.	.	8	.	1	.	9
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
5–14	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	9	2	.	.	.	.	.	.	.	.	2	1	1	.	.	.	3
45–64	24	2	.	.	.	.	.	.	.	.	7	.	1	2	.	1	11
65 and over	78	.	.	.	.	.	.	.	.	.	7	.	6	5	.	1	59
TOTAL	131	4	.	.	1	.	.	.	.	.	16	1	16	8	1	2	82
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	10	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	8
TOTAL	15	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	12
	TWELVE OTHER TOWNS																
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
45–64	20	1	.	.	.	.	.	.	.	.	6	.	.	2	.	.	11
65 and over	50	.	.	.	.	.	.	.	.	.	5	.	3	2	.	1	39
TOTAL	76	1	.	.	.	.	.	.	.	.	11	.	3	4	.	1	56

25 JAN 1958
FILE

D153. 17480/1. G.70. 165.1/58. DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 4. Vol. XCV WEEK ENDED SATURDAY, 25th JANUARY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 341—174 boys and 167 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 201. Of these, 5 deaths were due to tuberculosis, one to influenza and 42 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to transport accidents, and one to drowning.

Among the deaths of infants under one year, 7 were due to pneumonia, 5 to prematurity, 2 to congenital malformation, one to gastro-enteritis, one to atelectasis, one to hydrops foetalis and one to oedema of glottis.

The total number of births registered during the week in the principal towns, was 543—275 boys and 268 girls, of which 152 boys and 149 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 290, of which 154 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 25th January, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	341	201	18	119	4	1	.	.	.	.	.	.	1	42	1	15	11	1	5	120
DUBLIN COUNTY BOROUGH	522,183	212	131	16	77	2	1	.	.	.	.	.	.	1	25	.	10	10	1	3	78
DUN LAOGHAIRE BOROUGH .. .	47,920	17	11	1	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	9
CORK COUNTY BOROUGH	74,567	29	28	1	19	1	.	.	.	.	.	.	.	.	10	.	2	.	.	.	15
LIMERICK COUNTY BOROUGH	50,820	22	9	.	5	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	5
WATERFORD COUNTY BOROUGH	28,691	7	4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
GALWAY BOROUGH	21,316	13	3	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	19 678	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
DROGHEDA URBAN DISTRICT .	16,779	11	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
SLIGO URBAN DISTRICT	13,529	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	12.062	4	4	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
WEXFORD URBAN DISTRICT	11,979	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	11,045	4	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,572	2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,471	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	443,680	171	100	8	62	2	.	.	.	.	.	.	.	.	.	.	14	8	1	.	.
DERRY	50,095	18	8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Notes.—The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 25th January, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	16	.	.	.	.	.	.	.	.	.	.	.	5	1	1	.	9
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	3	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1
25–44	6	.	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.
45–64	28	.	.	.	.	.	.	.	.	1	6	.	1	3	.	.	17
65 and over	77	2	.	.	.	.	.	.	.	.	14	.	3	4	.	3	51
TOTAL	131	2	1	.	.	.	.	.	.	1	25	.	10	10	1	3	78
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	8	1	.	.	.	.	.	.	.	.	5	.	1	.	.	.	1
65 and over	19	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	14
TOTAL	28	1	.	.	.	.	.	.	.	.	10	.	2	.	.	.	15
	TWELVE OTHER TOWNS																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
25–44	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
45–64	15	1	.	.	.	.	.	.	.	.	3	.	1	.	.	1	9
65 and over	23	.	.	.	.	.	.	.	.	.	4	.	1	1	.	.	17
TOTAL	42	1	.	.	.	.	.	.	.	.	7	1	3	1	.	2	27

D154. 17480/1. G.70. 165.1/58. DOLLARD

THE ROYAL SOCIETY OF HEALTH LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 5. Vol. XCV WEEK ENDED SATURDAY, 1st FEBRUARY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 392—196 boys and 196 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 237. Of these, 5 deaths were due to tuberculosis, one to influenza and 26 to malignant neoplasms. There were 9 accidental deaths, 2 of which were due to transport accidents, 2 to carbon monoxide poisoning and one to burns.

Among the deaths of infants under one year, 6 were due to pneumonia, 4 to congenital malformation, 2 to gastro-enteritis, one to prematurity, one to injury at birth, one to an enlarged thymus and one to lymphatism

---

The total number of births registered during the week in the principal towns, was 723—362 boys and 361 girls, of which 190 boys and 169 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 346, of which 176 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 1st February, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	392	237	19	153	5	.	.	.	.	.	.	.	1	26	1	20	21	2	9	152
DUBLIN COUNTY BOROUGH	522,183	248	145	13	83	5	.	.	.	.	.	.	.	.	17	1	10	15	1	7	89
DUN LAOGHAIRE BOROUGH	47,920	21	17	2	13	.	.	.	.	.	.	.	.	.	2	.	4	3	.	.	8
CORK COUNTY BOROUGH	74,567	51	22	1	15	.	.	.	.	.	.	.	.	.	1	.	6	2	.	1	12
LIMERICK COUNTY BOROUGH	50,820	30	15	1	12	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	12
WATERFORD COUNTY BOROUGH	28,691	6	8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	7
GALWAY BOROUGH	21,316	3	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
DUNDALK URBAN DISTRICT	19 678	7	9	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	7
DROGHEDA URBAN DISTRICT	16,779	4	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
SLIGO URBAN DISTRICT	13,529	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	12.062	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	11,979	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	11,045	4	3	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,572	1	6	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5
CLONMEL URBAN DISTRICT	10,471	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	443,680	163	146	6	93	1	.	.	.	.	.	.	.	.	.	.	33	17	.	.	.
DERRY	50,095	23	15	1	11	1	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 1st February, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	13	.	.	.	.	.	.	.	.	.	.	.	3	.	1	2	7
1–4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
5–14	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
45–64	38	3	.	.	.	.	.	.	.	.	7	1	.	4	.	3	20
65 and over	83	1	.	.	.	.	.	.	.	.	8	.	6	11	.	1	56
TOTAL	145	5	.	.	.	.	.	.	.	.	17	1	10	15	1	7	89
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	4
65 and over	15	.	.	.	.	.	.	.	.	.	1	.	4	1	.	1	8
TOTAL	22	.	.	.	.	.	.	.	.	.	1	.	6	2	.	1	12
	TWELVE OTHER TOWNS																
Under 1	5	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	9	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	6
65 and over	55	.	.	.	.	.	.	.	.	.	5	.	2	3	.	1	44
TOTAL	70	.	.	.	.	.	.	.	.	1	8	.	4	4	1	1	51

RECEIVED
10 FEB 1958
FILE

D553. 17480/2. G.70. 165.1/58. DOLLAND

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 6. Vol. XCV WEEK ENDED SATURDAY, 8th FEBRUARY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 393—222 boys and 171 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 221. Of these, 3 deaths were due to tuberculosis, one to diphtheria, 2 to influenza and 29 to malignant neoplasms. There were 5 accidental deaths, one of which was due to burns.

Among the deaths of infants under one year, 7 were due to congenital malformation, 3 to pneumonia, 3 to gastro-enteritis, 3 to atelectasis, one to neo-natal infection, one to septicaemia, one to maternal toxaemia and one to marasmus.

The total number of births registered during the week in the principal towns, was 646—358 boys and 288 girls, of which 166 boys and 155 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 296, of which 159 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 8th February, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,012	393	221	20	133	2	1	.	1	.	.	.	.	1	29	2	8	24	3	5	145
DUBLIN COUNTY BOROUGH	522,183	226	131	12	81	2	.	.	1	.	.	.	.	.	22	1	4	13	2	3	83
DUN LAOGHAIRE BOROUGH	47,920	27	18	1	11	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	14
CORK COUNTY BOROUGH	74,567	38	25	2	13	.	1	.	.	.	.	.	.	.	1	.	2	2	.	1	18
LIMERICK COUNTY BOROUGH	50,820	24	6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
WATERFORD COUNTY BOROUGH	28,691	12	11	3	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	8
GALWAY BOROUGH	21,316	10	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
DUNDALK URBAN DISTRICT	19 678	7	4	.	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1
DROGHEDA URBAN DISTRICT ..	16,779	12	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
SLIGO URBAN DISTRICT	13,529	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	12.062	5	6	1	3	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	3
WEXFORD URBAN DISTRICT	11,979	11	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
TRALEE URBAN DISTRICT	11,045	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,572	14	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	1
CLONMEL URBAN DISTRICT	10,471	.	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1
BELFAST	443,680	166	119	7	69	1	.	.	.	.	.	.	.	.	.	1	21	16	.	.	.
DERRY	50,095	18	7	1	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

Notes The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 8th February, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Disease of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	12	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	8
1–4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	10	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	6
45–64	27	.	.	.	.	.	.	.	.	.	6	.	.	6	.	.	15
65 and over	81	1	.	.	.	.	.	.	.	.	14	1	1	7	.	3	54
TOTAL	131	2	.	.	1	.	.	.	.	.	22	1	4	13	2	3	83
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	7	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	4
65 and over	13	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	11
TOTAL	25	.	1	.	.	.	.	.	.	.	1	.	2	2	.	1	18
TWELVE OTHER TOWNS																	
Under 1	6	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
45–64	17	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.	11
65 and over	39	.	.	.	.	.	.	.	.	.	3	.	1	6	.	1	28
TOTAL	65	.	.	.	.	.	.	.	.	1	6	1	2	9	1	1	44

D554. 17480/2. G.70. 165.2/58 DOLLARD

R D
22 FEB 1958

THE ROYAL SOCIETY OF HEALTH LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 7. Vol. XCV WEEK ENDED SATURDAY, 15th February, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 377—189 boys and 188 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 242. Of these, 12 deaths were due to tuberculosis, 4 to influenza and 39 to malignant neoplasms. There were 9 accidental deaths, one of which was due to burns, one to drowning, one to poisoning and one to a transport accident.

Among the deaths of infants under one year, 3 were due to congenital malformation, 2 to pneumonia, one to gastro–enteritis, one to atelectasis, one to asphyxia, one to influenza, one to portal pyaemia and one to prematurity,

---

The total number of births registered during the week in the principal towns, was 582—297 boys and 285 girls, of which 155 boys and 161 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 322, of which 195 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 15th February, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	277	242	12	148	11	1	.	.	.	.	.	.	.	39	4	8	16	1	9	153
DUBLIN COUNTY BOROUGH	522,183	234	152	9	89	4	.	.	.	.	.	.	.	.	27	1	5	11	1	4	99
DUN LAOGHAIRE BOROUGH	47,920	14	13	1	7	1	.	.	.	.	.	.	.	.	1	1	1	2	.	.	7
CORK COUNTY BOROUGH	74,567	30	28	.	20	1	1	.	.	.	.	.	.	.	1	2	1	2	.	1	19
LIMERICK COUNTY BOROUGH	50,820	42	19	.	14	3	.	.	.	.	.	.	.	.	5	.	.	.	.	1	10
WATERFORD COUNTY BOROUGH	28,691	13	10	1	7	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	6
GALWAY BOROUGH	21,316	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	19,678	9	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	16,779	13	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
SLIGO URBAN DISTRICT	13,529	4	4	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
BRAY URBAN DISTRICT	12,062	3	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
WEXFORD URBAN DISTRICT	11,979	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
TRALEE URBAN DISTRICT	11,045	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
KILKENNY URBAN DISTRICT	10,572	2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,471	6	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	443,680	149	123	8	73	.	.	.	.	.	.	.	.	.	.	.	15	18	.	.	.
DERRY	50,095	25	7	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 15th February, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	7
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
45–64	47	2	.	.	.	.	.	.	.	.	11	.	1	2	.	.	31
65 and over	89	1	.	.	.	.	.	.	.	.	16	1	3	9	.	3	56
TOTAL	152	4	.	.	.	.	.	.	.	.	27	1	5	11	1	4	99
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5
65 and over	20	.	.	.	.	.	.	.	.	.	1	2	1	1	.	1	14
TOTAL	28	1	1	.	.	.	.	.	.	.	1	2	1	2	.	1	19
	TWELVE OTHER TOWNS																
Under 1	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	6	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2
45–64	14	2	.	.	.	.	.	.	.	.	5	.	.	1	.	.	6
65 and over	39	2	.	.	.	.	.	.	.	.	5	.	1	2	.	2	27
TOTAL	62	6	.	.	.	.	.	.	.	.	11	1	2	3	.	4	35

D555. 17480/2. G.70. 165.2/58.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 8. Vol. XCV WEEK ENDED SATURDAY, 22nd FEBRUARY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 343—164 boys and 179 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 241. Of these, 8 deaths were due to tuberculosis, 2 to influenza and 33 to malignant neoplasms. There were 8 accidental deaths, 4 of which were due to drowning and one to a transport accident.

Among the deaths of infants under one year, 5 were due to congenital malformation, 4 to pneumonia, one to congenital debility, one to asphyxia, one to sonne dysentery, one to neo-natal infection, one to birth injury, one to convulsions, one to subphrenic abscess and one to prematurity.

The total number of births registered during the week in the principal towns, was 594—300 boys and 294 girls, of which 163 boys and 170 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 351, of which 166 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 22nd February, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	243	241	18	154	5	3	.	.	.	.	.	.	2	33	2	10	10	.	8	168
DUBLIN COUNTY BOROUGH	522,183	227	128	15	75	3	2	.	.	.	.	.	.	1	16	.	8	3	.	6	89
DUN LAOGHAIRE BOROUGH	47,920	19	16	.	12	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	12
CORK COUNTY BOROUGH	74,567	32	32	.	25	2	.	.	.	.	.	.	.	.	5	1	.	1	.	.	23
LIMERICK COUNTY BOROUGH	50,820	4	13	1	6	.	.	.	.	.	.	.	.	.	2	.	.	2	.	1	8
WATERFORD COUNTY BOROUGH	28,691	7	12	.	9	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	11
GALWAY BOROUGH	21,316	10	7	.	3	.	1	.	.	.	.	.	.	.	1	.	.	1	.	1	3
DUNDALK URBAN DISTRICT	19,678	10	7	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	5
DROGHEDA URBAN DISTRICT	16,779	3	9	1	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	7
SLIGO URBAN DISTRICT	13,529	9	3	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
BRAY URBAN DISTRICT	12,062	1	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1
WEXFORD URBAN DISTRICT	11,979	10	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
TRALEE URBAN DISTRICT	11,045	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
KILKENNY URBAN DISTRICT	10,572	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
CLONMEL URBAN DISTRICT	10,471	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	443,680	159	125	4	96	2	.	.	.	.	.	.	.	.	.	.	15	17	1	.	.
DERRY	50,095	13	3	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 22nd February, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	15	.	.	.	.	.	.	.	.	1	.	.	4	.	.	1	9
1–4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	5
45–64	27	2	1	.	.	.	.	.	.	.	9	.	1	2	.	.	12
65 and over	75	.	.	.	.	.	.	.	.	.	6	.	3	1	.	3	62
TOTAL	128	3	2	.	.	.	.	.	.	1	16	.	8	3	.	6	89
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	5	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1
65 and over	25	1	.	.	.	.	.	.	.	.	4	.	.	.	.	.	20
TOTAL	32	2	.	.	.	.	.	.	.	.	5	1	.	1	.	.	23
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
25–44	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	3
45–64	16	.	.	.	.	.	.	.	.	.	6	.	.	2	.	1	7
65 and over	54	.	.	.	.	.	.	.	.	1	3	1	2	4	.	.	43
TOTAL	81	.	1	.	.	.	.	.	.	1	12	1	2	6	.	2	56

D556. 17480/2. G.70. 165.2/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 9. Vol. XCV WEEK ENDED SATURDAY, 1st MARCH, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 421—221 boys and 200 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 157. Of these, 6 deaths were due to tuberculosis, one to influenza and 22 to malignant neoplasms. There were 5 accidental deaths, one of which was due to burns.

Among the deaths of infants under one year, 2 were due to convulsions, one to mongolism, one to enlarged thymus, one to birth injury and one to prematurity.

The total number of births registered during the week in the principal towns, was 666—341 boys and 325 girls, of which 200 boys and 183 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 262, of which 128 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 1st March, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	421	157	6	108	6	.	.	.	.	.	.	.	2	22	1	7	10	.	5	104
DUBLIN COUNTY BOROUGH	522,183	269	90	3	59	5	.	.	.	.	.	.	.	1	10	.	4	7	.	2	61
DUN LAOGHAIRE BOROUGH	47,920	18	12	.	11	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2	7
CORK COUNTY BOROUGH	74,567	35	19	.	14	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	15
LIMERICK COUNTY BOROUGH	50,820	34	15	1	11	1	.	.	.	.	.	.	.	.	3	.	3	1	.	.	7
WATERFORD COUNTY BOROUGH	28,691	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
GALWAY BOROUGH	21,316	16	3	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
DUNDALK URBAN DISTRICT	19,678	6	4	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	16,779	12	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
SLIGO URBAN DISTRICT	13,529	10	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	12,062	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	11,979	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	11,045	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,572	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,471	10	5	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4
BELFAST	443,680	172	126	11	83	.	.	.	.	.	.	.	.	.	.	.	12	8	.	.	.
DERRY	50,095	18	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 1st March, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
25–44	5	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	20	2	.	.	.	.	.	.	.	.	3	.	.	1	.	1	13
65 and over	59	1	.	.	.	.	.	.	.	.	6	.	3	5	.	1	43
TOTAL	90	5	.	.	.	.	.	.	.	1	10	.	4	7	.	2	61
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
45–64	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
65 and over	14	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	11
TOTAL	19	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	15
	TWELVE OTHER TOWNS																
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	9	1	.	.	.	.	.	.	.	1	3	.	.	.	.	.	4
65 and over	35	.	.	.	.	.	.	.	.	.	7	1	3	2	.	2	20
TOTAL	48	1	.	.	.	.	.	.	.	1	10	1	3	2	.	2	28

D865. 17480/3. G.70. 165.3/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 10. Vol. XCV WEEK ENDED SATURDAY, 8th MARCH, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 356—179 boys and 177 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 183. Of these, 3 deaths were due to tuberculosis and 33 to malignant neoplasms. There were 7 accidental deaths, 4 of which were due to transport accidents, one to poisoning and one to burns. There was one suicide.

Among the deaths of infants under one year, 3 were due to pneumonia, 2 to injury at birth, 2 to atelectasis, one to congenital malformation, one to septicaemia, one to aplastic anaemia, one to intraperitoneal haemorrhage, one to haemolytic disease and one to prematurity.

The total number of births registered during the week in the principal towns, was 587—293 boys and 294 girls, of which 149 boys and 143 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 274, of which 136 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 8th March, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	356	183	14	106	2	1	.	.	.	.	.	.	1	33	.	8	5	.	8	125
DUBLIN COUNTY BOROUGH	522,183	205	105	9	55	2	1	.	.	.	.	.	.	1	23	.	3	4	.	5	66
DUN LAOGHAIRE BOROUGH	47,920	20	11	1	6	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	6
CORK COUNTY BOROUGH	74,567	23	22	2	16	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	18
LIMERICK COUNTY BOROUGH	50,820	26	10	1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	10
WATERFORD COUNTY BOROUGH	28,691	31	11	.	8	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	8
GALWAY BOROUGH	21,316	16	6	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5
DUNDALK URBAN DISTRICT	19,678	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
DROGHEDA URBAN DISTRICT	16,779	8	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
SLIGO URBAN DISTRICT	13,529	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
BRAY URBAN DISTRICT	12,062	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	11,979	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
TRALEE URBAN DISTRICT	11,045	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,572	6	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,471	.	4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
BELFAST	443,680	156	104	6	58	2	.	.	.	.	.	.	.	.	.	.	11	10	.	.	.
DERRY	50,095	20	7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 8th March, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	6
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	10	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2	5
45–64	30	2	1	.	.	.	.	.	.	.	13	.	.	1	.	.	13
65 and over	55	.	.	.	.	.	.	.	.	1	7	.	1	3	.	2	41
TOTAL	105	2	1	.	.	.	.	.	.	1	23	.	3	4	.	5	66
	CORK COUNTY BOROUGH																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
65 and over	16	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	14
TOTAL	22	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	18
	TWELVE OTHER TOWNS																
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
45–64	13	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	11
65 and over	35	.	.	.	.	.	.	.	.	.	7	.	3	.	.	1	24
TOTAL	56	.	.	.	.	.	.	.	.	.	9	.	4	.	.	2	41

D866. 17480/3. G.70. 165.3/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 11. Vol. XCV WEEK ENDED SATURDAY, 15th MARCH, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 364—201 boys and 163 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 192. Of these, 5 deaths were due to tuberculosis and 33 to malignant neoplasms. There was one accidental death.

Among the deaths of infants under one year, 5 were due to pneumonia, 3 to prematurity, 3 to congenital malformation, 2 to injury at birth, one to empyema, one to gastro-enteritis, one to fibrocystic disease of pancreas, one to haemolytic disease, one to anoxia and one to erythroblastosis foetalis.

The total number of births registered during the week in the principal towns, was 612—327 boys and 285 girls, of which 167 boys and 148 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 293, of which 170 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 15th March, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
				Under 1 year of age	65 years and upward	CAUSED BY															
						Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	851,612	364	192	19	127	4	1	.	.	.	.	.	.	1	33	1	12	19	1	1	119
DUBLIN COUNTY BOROUGH	522,183	219	131	17	83	4	1	.	.	.	.	.	.	1	25	1	9	11	1	.	78
DUN LAOGHAIRE BOROUGH	47,920	13	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
CORK COUNTY BOROUGH	74,567	43	31	.	21	.	.	.	.	.	.	.	.	.	6	.	1	6	.	1	17
LIMERICK COUNTY BOROUGH	50,820	32	9	1	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8
WATERFORD COUNTY BOROUGH	28,691	8	8	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	6
GALWAY BOROUGH	21,316	7	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	19,678	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	16,779	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	13,529	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	12,062	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	11,979	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	11,045	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,572	6	4	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
CLONMEL URBAN DISTRICT	10,471	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	443,680	174	93	4	64	1	.	.	.	.	.	.	.	.	.	.	13	10	.	.	.
DERRY	50,095	21	9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 15th March, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	17	.	.	.	.	.	.	.	.	.	.	.	5	1	1	.	10
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
25–44	7	1	.	.	.	.	.	.	.	.	4	.	.	1	.	.	1
45–64	22	3	1	.	.	.	.	.	.	.	5	1	.	.	.	.	12
65 and over	83	.	.	.	.	.	.	.	.	1	14	.	4	9	.	.	55
TOTAL	131	4	1	.	.	.	.	.	.	1	25	1	9	11	1	.	78
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	9	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	4
65 and over	21	.	.	.	.	.	.	.	.	.	2	.	1	4	.	1	13
TOTAL	31	.	.	.	.	.	.	.	.	.	6	.	1	6	.	1	17
	TWELVE OTHER TOWNS																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4
65 and over	23	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	18
TOTAL	30	.	.	.	.	.	.	.	.	.	2	.	2	2	.	.	24

D869. 17480/3. G.70. 165.3/58.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 12. Vol. XCV WEEK ENDED SATURDAY, 22nd MARCH, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 363—183 boys and 180 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 201. Of these, one death was due to influenza and 39 to malignant neoplasms. There were 9 accidental deaths, 3 of which were due to burns and 2 to transport accidents. There was one suicide.

Among the deaths of infants under one year, 4 were due to prematurity, 2 to pneumonia, 2 to injury at birth, one to empyema and one to burns.

The total number of births registered during the week in the principal towns, was 655—331 boys and 324 girls, of which 161 boys and 173 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 291, of which 143 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 22nd March, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS																	
				Under 1 year of age	65 years and upward	CAUSED BY															
						Tuberculosis										Diseases of the respiratory system					
						Respiratory system	Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	851,612	363	201	11	124	.	.	.	.	.	.	.	.	4	39	1	6	11	.	10	130
DUBLIN COUNTY BOROUGH	522,183	219	117	2	74	.	.	.	.	.	.	.	.	2	21	1	2	7	.	7	77
DUN LAOGHAIRE BOROUGH	47,920	14	15	.	8	.	.	.	.	.	.	.	.	.	5	.	.	2	.	.	8
CORK COUNTY BOROUGH	74,567	36	25	4	17	.	.	.	.	.	.	.	.	1	5	.	3	1	.	3	12
LIMERICK COUNTY BOROUGH	50,820	36	11	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	9
WATERFORD COUNTY BOROUGH	28,691	9	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
GALWAY BOROUGH	21,316	7	3	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
DUNDALK URBAN DISTRICT	19,678	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	16,779	5	7	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	6
SLIGO URBAN DISTRICT	13,529	6	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
BRAY URBAN DISTRICT	12,062	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	11,979	9	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
TRALEE URBAN DISTRICT	11,045	6	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
KILKENNY URBAN DISTRICT	10,572	1	4	1	2	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,471	7	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
BELFAST	443,680	151	123	4	76	4	.	.	.	.	.	.	.	.	.	.	11	10	.	.	.
DERRY	50,095	20	7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1951.

TABLE 2.—Deaths registered during week ended Saturday, 22nd March, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4
45–64	31	.	.	.	.	.	.	.	.	.	12	.	.	3	.	1	15
65 and over	74	.	.	.	.	.	.	.	.	1	8	1	1	4	.	3	56
TOTAL	117	.	.	.	.	.	.	.	.	2	21	1	2	7	.	7	77
	CORK COUNTY BOROUGH																
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.
65 and over	17	.	.	.	.	.	.	.	.	.	4	.	1	1	.	1	10
TOTAL	25	.	.	.	.	.	.	.	.	1	5	.	3	1	.	3	12
	TWELVE OTHER TOWNS																
Under 1	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
45–64	17	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	11
65 and over	33	.	.	.	.	.	.	.	.	.	5	.	1	2	.	.	25
TOTAL	59	.	.	.	.	.	.	.	.	1	13	.	1	3	.	.	41

D868. 17480/3. G.70. 165.3/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 13. Vol. XCV WEEK ENDED SATURDAY, 29th MARCH, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 446—228 boys and 218 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 211. Of these, 3 deaths were due to tuberculosis and 24 to malignant neoplasms. There were 2 accidental deaths.

Among the deaths of infants under one year, 8 were due to pneumonia, 3 to congenital malformation, 3 to atelectasis, 3 to injury at birth, 2 to prematurity, one to asphyxia, one to bronchitis and one to maternal toxaemia.

The total number of births registered during the week in the principal towns, was 776—388 boys and 388 girls, of which 201 boys and 225 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 328, of which 172 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 29th March, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1951	BIRTHS	DEATHS	DEATHS		DEATHS CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	851,612	446	211	24	138	3	.	.	.	.	.	.	.	.	24	.	15	19	.	2	148
DUBLIN COUNTY BOROUGH	522,183	283	132	14	80	1	.	.	.	.	.	.	.	.	19	.	14	17	.	1	80
DUN LAOGHAIRE BOROUGH	47,920	19	10	.	8	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	8
CORK COUNTY BOROUGH	74,567	31	18	1	16	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	16
LIMERICK COUNTY BOROUGH	50,820	27	13	3	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	13
WATERFORD COUNTY BOROUGH	28,691	16	9	2	6	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	5
GALWAY BOROUGH	21,316	6	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DUNDALK URBAN DISTRICT	19,678	9	5	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
DROGHEDA URBAN DISTRICT	16,779	6	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
SLIGO URBAN DISTRICT	13,529	9	6	1	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4
BRAY URBAN DISTRICT	12,062	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	11,979	10	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
TRALEE URBAN DISTRICT	11,045	6	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
KILKENNY URBAN DISTRICT	10,572	8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
CLONMEL URBAN DISTRICT	10,471	7	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	443,680	188	121	.	88	.	.	.	.	.	.	.	.	.	.	.	16	9	.	.	.
DERRY	50,095	29	10	2	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1951.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 29th March, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	14	.	.	.	.	.	.	.	.	.	.	.	8	.	.	1	5
1–4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
25–44	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
45–64	29	1	.	.	.	.	.	.	.	.	8	.	.	6	.	.	14
65 and over	80	.	.	.	.	.	.	.	.	.	10	.	6	11	.	.	53
TOTAL	132	1	.	.	.	.	.	.	.	.	19	.	14	17	.	1	80
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
65 and over	16	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	14
TOTAL	18	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	16
	TWELVE OTHER TOWNS																
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	7
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	7	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6
65 and over	42	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	37
TOTAL	61	1	.	.	.	.	.	.	.	.	4	.	1	2	.	1	52

D867: 17480/3: G.70. 165.4/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 14. Vol. XCV WEEK ENDED SATURDAY, 5th APRIL, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 341—151 boys and 190 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 153. Of these, 18 deaths were due to malignant neoplasms. There were 4 accidental deaths.

Among the deaths of infants under one year, 6 were due to congenital malformation, 4 to pneumonia, 3 to gastro-enteritis, one to atelectasis, one to prematurity, one to an enlarged thymus, and one to cardiac failure.

The total number of births registered during the week in the principal towns, was 544—245 boys and 299 girls, of which 138 boys and 169 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 246, of which 126 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 5th April, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	341	153	18	103	.	.	.	.	.	.	.	.	1	18	.	7	9	3	4	111
DUBLIN COUNTY BOROUGH	539,476	211	97	13	58	.	.	.	.	.	.	.	.	.	12	.	5	7	1	2	70
DUN LAOGHAIRE BOROUGH	47,553	21	10	.	8	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	6
CORK COUNTY BOROUGH	80,011	43	18	2	14	.	.	.	.	.	.	.	.	.	2	.	2	1	1	1	11
LIMERICK COUNTY BOROUGH	50,886	16	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
WATERFORD COUNTY BOROUGH	28,878	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
GALWAY BOROUGH	21,219	6	7	2	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	5
DUNDALK URBAN DISTRICT	20,154	4	3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,008	7	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
SLIGO URBAN DISTRICT	12,947	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,928	4	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
BRAY URBAN DISTRICT	10,856	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
CLONMEL URBAN DISTRICT	10,697	11	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	443,680	162	103	5	60	3	.	.	.	.	.	.	.	.	.	1	14	8	.	.	.
DERRY	50,095	26	6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 5th April, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	13	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	9
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
45–64	22	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	17
65 and over	58	.	.	.	.	.	.	.	.	.	6	.	2	5	.	2	43
TOTAL	97	.	.	.	.	.	.	.	.	.	12	.	5	7	1	2	70
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
65 and over	14	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	10
TOTAL	18	.	.	.	.	.	.	.	.	.	2	.	2	1	1	1	11
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
65 and over	31	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	27
TOTAL	38	.	.	.	.	.	.	.	.	1	4	.	.	1	1	1	30

D1173: B20758/4: G.70. 165:4/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 15. Vol. XCV WEEK ENDED SATURDAY, 12th APRIL, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 420—215 boys and 205 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 194. Of these, 6 deaths were due to tuberculosis, 17 to malignant neoplasms and one to influenza. There were 2 accidental deaths, one of which was due to drowning.

Among the deaths of infants under one year, 3 were due to prematurity, 2 to pneumonia, 2 to atelectasis, one to gastro-enteritis, one to injury at birth, one to asphyxia, and one to whooping cough.

The total number of births registered during the week in the principal towns, was 715—357 boys and 358 girls, of which 187 boys and 175 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 276, of which 143 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 12th April, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	420	194	12	122	6	.	.	.	1	.	.	.	2	17	1	8	8	1	2	148
DUBLIN COUNTY BOROUGH	539,476	256	114	6	72	5	.	.	.	.	.	.	.	2	10	1	6	6	1	1	82
DUN LAOGHAIRE BOROUGH	47,553	21	14	1	6	1	.	.	.	.	.	.	.	.	3	.	1	.	.	.	9
CORK COUNTY BOROUGH	80,011	58	25	2	15	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	22
LIMERICK COUNTY BOROUGH	50,886	19	7	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	4
WATERFORD COUNTY BOROUGH .. .	28,878	13	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
GALWAY BOROUGH	21,219	12	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	8	8	2	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
DROGHEDA URBAN DISTRICT	17,008	8	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	5	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
BRAY URBAN DISTRICT	10,856	8	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
WEXFORD URBAN DISTRICT	10,838	6	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
CLONMEL URBAN DISTRICT	10,697	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
*BELFAST	443,680	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DERRY	50,095	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 12th April, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	6	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	8	3	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2
45–64	26	1	.	.	.	.	.	.	.	1	3	1	2	1	.	.	17
65 and over	72	1	.	.	.	.	.	.	.	.	5	.	3	4	.	.	59
TOTAL	114	5	.	.	.	.	.	.	.	2	10	1	6	6	1	1	82
	CORK COUNTY BOROUGH																
Under 1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
65 and over	15	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	14
TOTAL	25	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	22
	TWELVE OTHER TOWNS																
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	16	1	.	.	.	.	.	.	.	.	4	.	1	.	.	.	10
65 and over	35	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	31
TOTAL	55	1	.	.	.	.	.	.	.	.	6	.	2	1	.	1	44

D1174: B20758/4: G.70. 165:4/58.DOLLARD

THE ROYAL SOCIETY OF HEALTH LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 16. Vol. XCV WEEK ENDED SATURDAY, 19th APRIL, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 435—221 boys and 214 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 235. Of these, 4 deaths were due to tuberculosis, 2 to influenza, one to diphtheria and 33 to malignant neoplasms. There were 3 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 5 were due to congenital malformation, 3 to pneumonia, 3 to injury at birth, 2 to gastro-enteritis, 2 to atelectasis, 2 to asphyxia, one to prematurity, one to tuberculous meningitis, and one to haemolytic disease.

The total number of births registered during the week in the principal towns, was 704—343 boys and 361 girls, of which 178 boys and 199 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 336, of which 181 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 19th April, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	435	235	21	142	2	2	.	1	.	.	.	.	3	33	2	10	19	2	3	158
DUBLIN COUNTY BOROUGH	539,476	256	144	16	86	1	1	.	1	.	.	.	.	2	23	1	8	10	2	1	94
DUN LAOGHAIRE BOROUGH	47,553	28	13	.	11	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	8
CORK COUNTY BOROUGH	80,011	41	19	1	8	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1	14
LIMERICK COUNTY BOROUGH	50,886	40	18	1	10	1	1	.	.	.	.	.	.	.	1	.	.	2	.	.	13
WATERFORD COUNTY BOROUGH	28,878	23	6	.	4	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	3
GALWAY BOROUGH	21,219	5	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
DUNDALK URBAN DISTRICT	20,154	9	10	1	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	8
DROGHEDA URBAN DISTRICT	17,008	7	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	9	11	.	8	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	7
TRALEE URBAN DISTRICT	10,928	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	6	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
WEXFORD URBAN DISTRICT	10,838	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*BELFAST	443,680	204	103	4	68	.	.	.	.	.	.	.	.	.	.	1	12	5	.	.	.
DERRY	50,095	29	7	1	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.

TABLE 2.—Deaths registered during week ended Saturday, 19th April, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	16	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	11
1–4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
25–44	4	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	1
45–64	32	.	.	.	.	.	.	.	.	1	6	.	1	5	.	.	19
65 and over	86	1	.	.	.	.	.	.	.	.	16	1	4	5	.	.	59
TOTAL	144	1	1	.	1	.	.	.	.	2	23	1	8	10	2	1	94
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2
45–64	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	4
65 and over	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
TOTAL	19	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1	14
	TWELVE OTHER TOWNS																
Under 1	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
45–64	15	.	.	.	.	.	.	.	.	.	5	.	.	3	.	.	7
65 and over	48	1	.	.	.	.	.	.	.	.	4	.	2	4	.	.	37
TOTAL	72	1	1	.	.	.	.	.	.	.	9	1	2	7	.	1	50

D1175; B20758/4: G.70. 165:4/58.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 17. Vol. XCV WEEK ENDED SATURDAY, 26th APRIL, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 416—231 boys and 185 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 185. Of these, 7 deaths were due to tuberculosis and 25 to malignant neoplasms. There was one accidental death and one suicide.

Among the deaths of infants under one year, 5 were due to congenital malformation, 3 to pneumonia, one to injury at birth, one to asphyxia, and one to mongolism.

The total number of births registered during the week in the principal towns, was 672—357 boys and 315 girls, of which 224 boys and 186 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 271, of which 141 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 26th April, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	416	185	12	116	6	1	.	.	.	.	.	.	2	25	.	11	13	.	2	125
DUBLIN COUNTY BOROUGH	539,476	274	112	8	66	4	.	.	.	.	.	.	.	.	16	.	10	5	.	2	75
DUN LAOGHAIRE BOROUGH	47,553	15	8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
CORK COUNTY BOROUGH	80,011	33	18	2	14	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.	11
LIMERICK COUNTY BOROUGH	50,886	15	12	.	4	.	1	.	.	.	.	.	.	1	.	.	.	2	.	.	8
WATERFORD COUNTY BOROUGH	28,878	16	8	.	7	1	.	.	.	.	.	.	.	.	3	.	.	1	.	.	3
GALWAY BOROUGH	21,219	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DUNDALK URBAN DISTRICT	20,154	14	8	.	7	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	4
DROGHEDA URBAN DISTRICT	17,008	13	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	5	5	1	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3
WEXFORD URBAN DISTRICT	10,838	6	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
CLONMEL URBAN DISTRICT	10,697	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	5	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
*BELFAST	443,680	184	72	3	52	.	.	.	.	.	.	.	.	.	.	.	10	4	.	.	.
DERRY	50,095	11	10	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

Table 2.—Deaths registered during week ended Saturday, 26th April, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

Age Group	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
15–24	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
25–44	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	30	2	.	.	.	.	.	.	.	.	6	.	1	3	.	1	17
65 and over	66	1	.	.	.	.	.	.	.	.	8	.	6	2	.	.	49
Total	112	4	.	.	.	.	.	.	.	.	16	.	10	5	.	2	75
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
65 and over	14	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.	8
Total	18	.	.	.	.	.	.	.	.	.	4	.	.	3	.	.	11
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
25–44	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
45–64	10	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
65 and over	36	.	.	.	.	.	.	.	.	1	5	.	1	4	.	.	25
Total	55	2	1	.	.	.	.	.	.	2	5	.	1	5	.	.	39

D1395: B20758/4: G.70. 165:4/58.DOLLARD

THE ROYAL SOC
OF MEDICINE
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 18. Vol. XCV WEEK ENDED SATURDAY, 3rd MAY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 387—193 boys and 194 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 180. Of these, 6 deaths were due to tuberculosis and 18 to malignant neoplasms. There were 8 accidental deaths, 2 of which were due to transport accidents, one to drowning and one to carbon monoxide poisoning.

Among the deaths of infants under one year, 6 were due to congenital malformation, 3 to pneumonia, one to asphyxia, 3 to prematurity and one to bronchitis.

The total number of births registered during the week in the principal towns, was 647—325 boys and 322 girls, of which 168 boys and 182 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 268, of which 143 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 3rd May, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	387	180	15	121	4	2	.	.	.	.	.	.	.	18	1	11	18	.	8	118
DUBLIN COUNTY BOROUGH	539,476	236	117	12	77	3	.	.	.	.	.	.	.	.	12	1	9	9	.	6	77
DUN LAOGHAIRE BOROUGH	47,553	27	10	.	8	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	7
CORK COUNTY BOROUGH	80,011	46	20	.	14	.	1	.	.	.	.	.	.	.	3	.	1	4	.	.	11
LIMERICK COUNTY BOROUGH	50,886	24	7	1	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	4
WATERFORD COUNTY BOROUGH	28,878	1	4	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
GALWAY BOROUGH	21,219	9	4	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
DUNDALK URBAN DISTRICT	20,154	8	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	9	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	2	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
TRALEE URBAN DISTRICT	10,928	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	9	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
WEXFORD URBAN DISTRICT	10,838	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
CLONMEL URBAN DISTRICT	10,697	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
KILKENNY URBAN DISTRICT	10,607	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
*BELFAST	443,680	191	79	4	48	1	.	.	.	.	.	.	.	.	.	1	4	9	.	.	.
DERRY	50,095	32	8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 3rd May, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	12	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	8
1–4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
25–44	9	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	5
45–64	16	.	.	.	.	.	.	.	.	.	3	.	1	2	.	1	9
65 and over	77	2	.	.	.	.	.	.	.	.	8	1	4	6	.	2	54
TOTAL	117	3	.	.	.	.	.	.	.	.	12	1	9	9	.	6	77
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	4	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1
65 and over	14	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	10
TOTAL	20	.	1	.	.	.	.	.	.	.	3	.	1	4	.	.	11
	TWELVE OTHER TOWNS																
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
1–4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
65 and over	30	.	.	.	.	.	.	.	.	.	3	.	1	4	.	1	21
TOTAL	43	1	1	.	.	.	.	.	.	.	3	.	1	5	.	2	30

D1396. B20758/5. G.70. 165.5/58 DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 19. Vol. XCV WEEK ENDED SATURDAY, 10th MAY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 365—189 boys and 176 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 147. Of these, 3 deaths were due to tuberculosis and 25 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents and one to drowning.

Among the deaths of infants under one year, 7 were due to congenital malformation, 2 to pneumonia, 2 to injury at birth, one to prematurity, one to erythroblastosis, one to gastro-enteritis and one to Ritter's disease.

The total number of births registered during the week in the principal towns, was 625—314 boys and 311 girls, of which 176 boys and 169 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 245, of which 127 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 10th May, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	365	147	16	88	2	1	.	.	.	.	.	.	1	25	.	9	12	1	4	92
DUBLIN COUNTY BOROUGH	539,476	218	101	13	56	2		.	.	.	.	.	.	1	20	.	6	9	1	4	58
DUN LAOGHAIRE BOROUGH	47,553	22	12	1	7	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	9
CORK COUNTY BOROUGH	80,011	26	5	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
LIMERICK COUNTY BOROUGH	50,886	34	7	1	4	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	3
WATERFORD COUNTY BOROUGH	28,878	18	5	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
GALWAY BOROUGH	21,219	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	11	5	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
DROGHEDA URBAN DISTRICT	17,008	4	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	6	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,607	7	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
*BELFAST	443,680	159	68	2	45	1	.	.	.	.	.	.	.	.	.	.	9	3	.	.	.
DERRY	50,095	22	5	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 10th May, 1930, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	13	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	10
1–4	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
5–14	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
25–44	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	23	.	.	.	.	.	.	.	.	.	10	.	.	.	.	1	12
65 and over	56	1	.	.	.	.	.	.	.	.	7	.	5	9	.	1	33
TOTAL	101	2	.	.	.	.	.	.	.	1	20	.	6	9	1	4	58
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
65 and over	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
TOTAL	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
	TWELVE OTHER TOWNS																
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	7	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	4
65 and over	28	.	.	.	.	.	.	.	.	.	2	.	2	2	.	.	22
TOTAL	41	.	1	.	.	.	.	.	.	.	4	.	3	3	.	.	30

D1397; B20758/5. G.70. 165.5/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 20. Vol. XCV WEEK ENDED SATURDAY, 17th MAY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 409—219 boys and 190 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 163. Of these, 8 deaths were due to tuberculosis and 23 to malignant neoplasms. There were 6 accidental deaths, 4 of which were due to transport accidents and one to electrocution.

Among the deaths of infants under one year, 4 were due to pneumonia, 3 to congenital malformation, 3 to injury at birth, 2 to prematurity, one to atelectasis, one to virus encephalitis, one to convulsions, and one to neo-natal infection.

The total number of births registered during the week in the principal towns, was 709—371 boys and 338 girls, of which 208 boys and 197 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 235, of which 131 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 17th May, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	409	163	16	95	7	1	.	.	.	.	1	.	2	23	1	12	4	.	6	106
DUBLIN COUNTY BOROUGH	539,476	269	108	12	57	7	1	.	.	.	.	1	.	1	15	1	8	3	.	4	67
DUN LAOGHAIRE BOROUGH	47,553	13	7	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	5
CORK COUNTY BOROUGH	80,011	28	15	1	10	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	12
LIMERICK COUNTY BOROUGH	50,886	22	7	2	3		.	.	.	.	.	.	.	.	1	.	1	.	.	1	4
WATERFORD COUNTY BOROUGH	28,878	15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY BOROUGH	21,219	9	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DUNDALK URBAN DISTRICT	20,154	11	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	10	6	1	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4
SLIGO URBAN DISTRICT	12,947	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,928	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	5	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,607	9	8	.	7	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	5
*BELFAST	443,680	169	87	3	56	3	.	.	.	.	.	.	.	.	.	.	7	7	.	.	.
DERRY	50,095	20	5	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.

Note:—The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 17th May, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	12	.	.	.	.	.	.	1	.	.	.	.	3	.	.	.	8
1–4	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	8	4	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1
45–64	28	.	1	.	.	.	.	.	.	.	8	1	3	1	.	1	13
65 and over	57	3	.	.	.	.	.	.	.	.	6	.	2	2	.	.	44
TOTAL	108	7	1	.	.	.	.	1	.	1	15	1	8	3	.	4	67
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
65 and over	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	8
TOTAL	15	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	12
	TWELVE OTHER TOWNS																
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
45–64	6	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	3
65 and over	28	.	.	.	.	.	.	.	.	1	5	.	1	.	.	1	20
TOTAL	40	.	.	.	.	.	.	.	.	1	7	.	3	1	.	1	27

D1398: B20758/5. G.70. 165.5/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 21. Vol. XCV WEEK ENDED SATURDAY, 24th MAY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 392—190 boys and 202 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 155. Of these, 26 deaths were due to malignant neoplasms. There were 4 accidental deaths, 3 of which were due to transport accidents.

Among the deaths of infants under one year, 5 were due to congenital malformation, 2 to injury at birth, 2 to atelectasis, one to asphyxia, one to pneumonia and one to septicæmia.

The total number of births registered during the week in the principal towns, was 654—315 boys and 339 girls, of which 190 boys and 185 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 239, of which 132 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 24th May, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	392	155	12	95	.	.	.	.	.	.	.	.	1	26	.	4	8	.	4	112
DUBLIN COUNTY BOROUGH	539,476	251	100	10	59	.	.	.	.	.	.	.	.	1	19	.	3	6	.	4	67
DUN LAOGHAIRE BOROUGH	47,553	22	10	1	4	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	6
CORK COUNTY BOROUGH	80,011	36	20	.	14	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	19
LIMERICK COUNTY BOROUGH	50,886	18	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
WATERFORD COUNTY BOROUGH	28,878	21	5	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
GALWAY BOROUGH	21,219	11	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	17,008	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	1	5	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
TRALEE URBAN DISTRICT	10,928	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	3	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
*BELFAST	443,680	169	80	4	46	.	1	.	.	.	.	.	.	.	.	.	8	1	.	.	.
DERRY	50,095	23	6	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not available.

TABLE 2.—Deaths registered during week ended Saturday, 24th May, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	9
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
45–64	26	.	.	.	.	.	.	.	.	.	8	.	.	2	.	.	16
65 and over	59	.	.	.	.	.	.	.	.	.	11	.	2	4	.	2	40
Total	100	.	.	.	.	.	.	.	.	1	19	.	3	6	.	4	67
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
65 and over	14	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	13
Total	20	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	19
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	6
65 and over	22	.	.	.	.	.	.	.	.	.	4	.	1	.	.	.	17
Total	35	.	.	.	.	.	.	.	.	.	7	.	1	1	.	.	26

D1399. B20758/5. G.70. 165.5/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 22. Vol. XCV WEEK ENDED SATURDAY, 31st MAY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 455—221 boys and 234 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 166. Of these, 7 deaths were due to tuberculosis and 28 to malignant neoplasms. There were 2 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 6 were due to prematurity, 4 to congenital malformation, 4 to pneumonia, 2 to gastro-enteritis, one to atelectasis, one to mongolism, one to hæmolytic anæmia and one to ulcers of scalp.

The total number of births registered during the week in the principal towns, was 702—358 boys and 344 girls, of which 173 boys and 175 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 259, of which 122 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 31st May, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	455	166	20	97	5	2	.	.	.	.	.	.	.	28	.	10	10	2	2	107
DUBLIN COUNTY BOROUGH	539,476	268	96	13	54	3	1	.	.	.	.	.	.	.	17	.	7	6	2	.	60
DUN LAOGHAIRE BOROUGH	47,553	19	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
CORK COUNTY BOROUGH	80,011	30	19	1	13	1	1	.	.	.	.	.	.	.	2	.	1	.	.	.	14
LIMERICK COUNTY BOROUGH	50,886	40	18	.	14	1	.	.	.	.	.	.	.	.	5	.	.	1	.	2	9
WATERFORD COUNTY BOROUGH	28,878	15	10	2	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	8
GALWAY BOROUGH	21,219	10	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	12	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	7	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
SLIGO URBAN DISTRICT	12,947	31	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
TRALEE URBAN DISTRICT	10,928	6	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	4	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
CLONMEL URBAN DISTRICT	10,697	7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,607	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
*BELFAST	443,680	182	94	7	59	.	.	.	.	.	.	.	.	.	.	.	10	8	1	.	.
DERRY	50,095	18	7	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.
*Information not received.

and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	13	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	10
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
45–64	24	2	.	.	.	.	.	.	.	.	5	.	.	3	.	.	14
65 and over	54	1	1	.	.	.	.	.	.	.	10	.	5	3	.	.	34
Total	96	3	1	.	.	.	.	.	.	.	17	.	7	6	2	.	60
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
65 and over	13	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	11
Total	19	1	1	.	.	.	.	.	.	.	2	.	1	.	.	.	14
TWELVE OTHER TOWNS																	
Under 1	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
45–64	9	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	6
65 and over	30	.	.	.	.	.	.	.	.	.	6	.	.	3	.	1	20
Total	51	1	.	.	.	.	.	.	.	.	9	.	2	4	.	2	33

D1400: B20758/5. G.70. 165.5/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 23. Vol. XCV WEEK ENDED SATURDAY, 7th JUNE, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 378—205 boys and 173 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 161. Of these, 4 deaths were due to tuberculosis and 31 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to transport accidents and one to carbon monoxide poisoning. There was one suicide.

Among the deaths of infants under one year, 2 were due to prematurity, 2 to congenital malformation, 2 to pneumonia, 2 to gastro-enteritis, 2 to injury at birth, one to atelectasis, and one to asphyxia.

The total number of births registered during the week in the principal towns, was 693—360 boys and 333 girls, of which 156 boys and 163 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 234, of which 109 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 7th June, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	378	161	13	91	4	.	.	.	.	.	.	.	.	31	2	8	6	2	6	102
DUBLIN COUNTY BOROUGH	539,476	210	100	9	57	2	.	.	.	.	.	.	.	.	21	1	6	4	1	3	62
DUN LAOGHAIRE BOROUGH	47,553	19	12	.	7	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	8
CORK COUNTY BOROUGH	80,011	69	16	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	13
LIMERICK COUNTY BOROUGH	50,886	28	7	1	3	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	4
WATERFORD COUNTY BOROUGH	28,878	12	6	.	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
GALWAY BOROUGH	21,219	6	3	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	10	7	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6
DROGHEDA URBAN DISTRICT	17,008	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
SLIGO URBAN DISTRICT	12,947	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
BRAY URBAN DISTRICT	10,856	6	4	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	443,680	172	86	5	56	.	.	.	.	.	.	.	.	.	.	.	6	6	.	.	.
DERRY	50,095	16	8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 7th June, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	6
1–4	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
45–64	25	1	.	.	.	.	.	.	.	.	6	.	1	1	.	1	15
65 and over	57	1	.	.	.	.	.	.	.	.	15	1	2	2	.	.	36
TOTAL	100	2	.	.	.	.	.	.	.	.	21	1	6	4	1	3	62
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
65 and over	10	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	9
TOTAL	16	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	13
	TWELVE OTHER TOWNS																
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
25–44	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
45–64	12	.	.	.	.	.	.	.	.	.	5	1	.	.	.	.	6
65 and over	24	1	.	.	.	.	.	.	.	.	4	.	.	1	.	1	17
TOTAL	45	2	.	.	.	.	.	.	.	.	10	1	1	1	1	2	27

D1772, B20758/.6 G.70. 165.6/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 24. Vol. XCV WEEK ENDED SATURDAY, 14th JUNE, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 436—221 boys and 215 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 157. Of these, 5 deaths were due to tuberculosis and 22 to malignant neoplasms. There were 3 accidental deaths, all of which were due to transport accidents.

Among the deaths of infants under one year, 2 were due to pneumonia, 2 to prematurity, one to congenital malformation, one to injury at birth, one to atelectasis, one to pyelitis, one to enlarged thymus and one to staphylococcal septicæmia.

The total number of births registered during the week in the principal towns, was 749—380 boys and 369 girls, of which 210 boys and 187 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 238, of which 119 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 14th June, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	436	157	10	108	5	.	.	.	.	.	.	.	1	22	1	8	5	.	3	112
DUBLIN COUNTY BOROUGH	539,476	265	84	7	55	3	.	.	.	.	.	.	.	1	13	1	5	1	.	3	57
DUN LAOGHAIRE BOROUGH	47,553	19	5	2	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3
CORK COUNTY BOROUGH	80,011	41	27	.	23	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	21
LIMERICK COUNTY BOROUGH	50,836	41	13	.	8	.	.	.	.	.	.	.	.	.	4	.	1	.	.	.	8
WATERFORD COUNTY BOROUGH	28,878	10	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
GALWAY BOROUGH	21,219	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	6	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
DROGHEDA URBAN DISTRICT	17,008	8	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	10	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
TRALEE URBAN DISTRICT	10,928	5	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	4	7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5
CLONMEL URBAN DISTRICT	10,697	1	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	15	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	443,680	156	91	7	59	.	.	.	.	.	.	.	.	.	.	.	6	3	.	.	.
DERRY	50,095	13	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TABLE 2.—Deaths registered during week ended Saturday, 14th June, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	7	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	4
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
45–64	15	2	.	.	.	.	.	.	.	.	3	.	.	.	.	1	9
65 and over	55	1	.	.	.	.	.	.	.	.	9	1	2	1	.	.	41
TOTAL	84	3	.	.	.	.	.	.	.	1	13	1	5	1	.	3	57
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
65 and over	23	.	.	.	.	.	.	.	.	.	3	.	2	.	.	.	18
TOTAL	27	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	21
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	10	2	.	.	.	.	.	.	.	.	3	.	1	1	.	.	3
65 and over	30	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	26
TOTAL	46	2	.	.	.	.	.	.	.	.	6	.	1	3	.	.	34

D1784: B20758/.6 G.70. 165.6/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 25. Vol. XCV WEEK ENDED SATURDAY, 21st JUNE, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 350—174 boys and 176 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 146. Of these, 5 deaths were due to tuberculosis and 24 to malignant neoplasms. There were 6 accidental deaths, 2 of which were due to transport accidents and one to drowning.

Among the deaths of infants under one year, 4 were due to congenital malformation, 3 to gastro-enteritis, one to pneumonia, one to prematurity, one to injury at birth, and one to asthmatic bronchitis.

The total number of births registered during the week in the principal towns, was 608—304 boys and 304 girls, of which 187 boys and 155 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 227, of which 115 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 21st June, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	350	146	13	94	3	2	.	.	.	.	.	.	.	24	.	6	6	3	7	95
DUBLIN COUNTY BOROUGH	539,476	214	84	6	57	3	1	.	.	.	.	.	.	.	15	.	3	4	2	6	50
DUN LAOGHAIRE BOROUGH	47,553	26	11	1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	10
CORK COUNTY BOROUGH	80,011	22	15	1	11	.	1	.	.	.	.	.	.	.	2	.	1	1	.	.	10
LIMERICK COUNTY BOROUGH	50,886	6	10	2	5	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	6
WATERFORD COUNTY BOROUGH	28,878	21	6	.	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4
GALWAY BOROUGH	21,219	10	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DUNDALK URBAN DISTRICT	20,154	13	4	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
DROGHEDA URBAN DISTRICT	17,008	7	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	7	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
TRALEE URBAN DISTRICT	10,928	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,607	10	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	443,680	153	56	.	40	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.
DERRY	50,095	12	7	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 21st June, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	6	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
45–64	17	1	.	.	.	.	.	.	.	.	3	.	.	1	.	2	10
65 and over	57	2	.	.	.	.	.	.	.	.	12	.	3	2	.	1	37
Total	84	3	1	.	.	.	.	.	.	.	15	.	3	4	2	6	50
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
65 and over	11	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	8
Total	15	.	1	.	.	.	.	.	.	.	2	.	1	1	.	.	10
TWELVE OTHER TOWNS																	
Under 1	6	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
45–64	11	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	9
65 and over	26	.	.	.	.	.	.	.	.	.	3	.	1	1	.	1	20
Total	47	.	.	.	.	.	.	.	.	.	7	.	2	1	1	1	35

D1785. B20758/.6 G.70. 165.6/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 26. Vol. XCV WEEK ENDED SATURDAY, 28th JUNE, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 383—195 boys and 188 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 151. Of these, 5 deaths were due to tuberculosis and 27 to malignant neoplasms. There were 8 accidental deaths, 4 of which were due to transport accidents and 4 to drowning.

Among the deaths of infants under one year, 2 were due to congenital malformation, one to gastro-enteritis, one to prematurity, one to congenital debility and one to mongolism.

The total number of births registered during the week in the principal towns, was 649—319 boys and 330 girls, of which 180 boys and 185 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 217, of which 95 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 28th June, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	383	151	6	96	5	.	.	.	.	.	.	.	1	27	.	6	7	1	8	96
DUBLIN COUNTY BOROUGH	539,476	246	77	4	45	1	.	.	.	.	.	.	.	1	18	.	2	4	.	5	46
DUN LAOGHAIRE BOROUGH	47,553	18	13	1	7	1	.	.	.	.	.	.	.	.	1	.	.	2	.	.	9
CORK COUNTY BOROUGH	80,011	33	25	1	18	1	.	.	.	.	.	.	.	.	5	.	.	1	1	2	15
LIMERICK COUNTY BOROUGH	50,886	26	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
WATERFORD COUNTY BOROUGH	28,878	15	8	.	7	.	.	.	.	.	.	.	.	.	1	.	3	.	.	1	3
GALWAY BOROUGH	21,219	8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	9	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,008	9	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	12,947	1	8	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
TRALEE URBAN DISTRICT	10,928	4	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	1	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	443,680	158	60	8	31	.	.	.	.	.	.	.	.	.	.	.	8	1	1	.	.
DERRY	50,095	12	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (–) indicates that the information is not supplied.

Table 2.—Deaths registered during week ended Saturday, 28th June, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

Age Group	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
45–64	22	1	.	.	.	.	.	.	.	1	7	.	.	1	.	1	11
65 and over	45	.	.	.	.	.	.	.	.	.	10	.	2	3	.	.	30
Total	77	1	.	.	.	.	.	.	.	1	18	.	2	4	.	5	46
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
65 and over	18	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	13
Total	25	1	.	.	.	.	.	.	.	.	5	.	.	1	1	2	15
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	13	3	.	.	.	.	.	.	.	.	4	.	.	.	.	.	6
65 and over	33	.	.	.	.	.	.	.	.	.	.	.	3	2	.	1	27
Total	49	3	.	.	.	.	.	.	.	.	4	.	4	2	.	1	35

D1786: B20758/.6 G.70. 165.6/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 27. Vol. XCV WEEK ENDED SATURDAY, 5th JULY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 416—211 boys and 205 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 137. Of these, 2 deaths were due to tuberculosis and 23 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to drowning and one to a transport accident.

Among the deaths of infants under one year, 2 were due to congenital malformation, 2 to atelectasis, 2 to asphyxia, one to lobar pneumonia, one to prematurity and one to hyaline membrane disease.

The total number of births registered during the week in the principal towns, was 731—376 boys and 355 girls, of which 177 boys and 166 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 197, of which 102 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 5th July, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																		
				Under 1 year of age	65 years and upward	CAUSED BY																
						Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	416	137	10	86	2	.	.	.	.	.	.	.	1	23	.	5	5	.	5	96
DUBLIN COUNTY BOROUGH	539,476	240	80	7	44	1	.	.	.	.	.	.	.	1	15	.	4	3	.	3	53
DUN LAOGHAIRE BOROUGH	47,553	20	7	2	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6
CORK COUNTY BOROUGH	80,011	42	13	1	9	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	11
LIMERICK COUNTY BOROUGH	50,886	28	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
WATERFORD COUNTY BOROUGH	28,878	9	5	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3
GALWAY BOROUGH	21,219	12	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	9	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
DROGHEDA URBAN DISTRICT	17,008	4	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	5	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
CLONMEL URBAN DISTRICT	10,697	18	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	15	9	.	6	1	.	.	.	.	.	.	.	.	3	.	.	.	.	1	4
BELFAST	443,680	140	87	4	55	1	.	.	.	.	—	—	.	—	—	.	10	3	.	—	—
DERRY	50,095	19	8	.	4	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

TABLE 2.—Deaths registered during week ended Saturday, 5th July, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
45–64	22	1	.	.	.	.	.	.	.	.	7	.	.	.	.	.	14
65 and over	44	.	.	.	.	.	.	.	.	1	7	.	2	1	.	1	32
TOTAL	80	1	.	.	.	.	.	.	.	1	15	.	4	3	.	3	53
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
65 and over	9	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	8
TOTAL	13	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	11
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
45–64	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
65 and over	33	.	.	.	.	.	.	.	.	.	7	.	1	1	.	.	24
TOTAL	44	1	.	.	.	.	.	.	.	.	7	.	1	1	.	2	32

D2283; B20758/.7 G.70. 165.7/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 28. Vol. XCV WEEK ENDED SATURDAY, 12th JULY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 421—205 boys and 216 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 165. Of these, 3 deaths were due to tuberculosis and 28 to malignant neoplasms. There were 6 accidental deaths, 2 of which were due to drowning and 2 to transport accidents. There were 2 suicides.

Among the deaths of infants under one year, 4 were due to congenital malformation, 3 to birth injury, 2 to prematurity, 2 to icterus neonatorum, one to convulsions, one to impetigo, one to staphyloccal septicaemia, one to congenital debility and one to acute nephritis.

The total number of births registered during the week in the principal towns, was 680—340 boys and 340 girls, of which 204 boys and 188 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 243, of which 116 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 12th July, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	872,058	421	165	17	102	2	1	.	.	.	.	.	.	1	28	1	1	10	.	8	113
DUBLIN COUNTY BOROUGH	539,476	268	87	10	51	1	1	.	.	.	.	.	.	1	15	1	.	7	.	6	55
DUN LAOGHAIRE BOROUGH	47,553	25	7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6
CORK COUNTY BOROUGH	80,011	45	23	1	19	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	19
LIMERICK COUNTY BOROUGH	50,886	20	12	3	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	10
WATERFORD COUNTY BOROUGH	28,878	11	5	1	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
GALWAY BOROUGH	21,219	15	6	.	4	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	3
DUNDALK URBAN DISTRICT	20,154	8	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
DROGHEDA URBAN DISTRICT	17,008	9	4	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2
SLIGO URBAN DISTRICT	12,947	1	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
TRALEE URBAN DISTRICT	10,928	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
BRAY URBAN DISTRICT	10,856	5	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	2	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
CLONMEL URBAN DISTRICT	10,697	7	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
KILKENNY URBAN DISTRICT	10,607	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
BELFAST	443,680	127	69	5	38	.	1	.	.	.	—	—	.	—	—	.	12	2	.	—	—
DERRY	50,095	18	8	.	5	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 12th July, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	10	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	8
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
15–24	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
25–44	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4
45–64	17	.	1	.	.	.	.	.	.	.	4	.	.	2	.	.	10
65 and over	51	1	.	.	.	.	.	.	.	.	10	1	.	4	.	3	32
TOTAL	87	1	1	.	.	.	.	.	.	1	15	1	.	7		6	55
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	19	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	15
TOTAL	23	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	19
	TWELVE OTHER TOWNS																
Under 1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	16	1	.	.	.	.	.	.	.	.	7	.	.	.	.	.	8
65 and over	32	.	.	.	.	.	.	.	.	.	3	.	1	2	.	1	25
TOTAL	55	1	.	.	.	.	.	.	.	.	10	.	1	2	.	2	39

D2284: B20758/.7 G.70. 165.7/58.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 29. Vol. XCV WEEK ENDED SATURDAY, 19th JULY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 373—194 boys and 179 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 126. Of these, 2 deaths were due to tuberculosis and 28 to malignant neoplasms. There were 7 accidental deaths, 3 of which were due to drowning and one to a transport accident.

Among the deaths of infants under one year, one was due to congenital malformation, one to birth injury, 3 to atelectasis and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 656—335 boys and 321 girls, of which 184 boys and 172 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 213, of which 107 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 19th July, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	373	126	8	72	2	.	.	.	.	.	.	.	.	28	.	1	10	1	7	77
DUBLIN COUNTY BOROUGH	539,476	228	71	6	41	1	.	.	.	.	.	.	.	.	15	.	.	6	1	3	45
DUN LAOGHAIRE BOROUGH	47,553	27	8	.	4	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	4
CORK COUNTY BOROUGH	80,011	25	8	.	3	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	4
LIMERICK COUNTY BOROUGH	50,886	19	9	1	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	7
WATERFORD COUNTY BOROUGH	28,878	14	11	.	7	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	7
GALWAY BOROUGH	21,219	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DUNDALK URBAN DISTRICT	20,154	7	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	8	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
SLIGO URBAN DISTRICT	12,947	1	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
TRALEE URBAN DISTRICT	10,928	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	11	4	.	2	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	11	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
CLONMEL URBAN DISTRICT	10,697	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
KILKENNY URBAN DISTRICT	10,607	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	443,680	157	75	2	52	1	.	.	.	.	—	—	.	—	—	.	4	4	.	—	—
DERRY	50,095	13	6	.	5	.	.	.	.	.	—	—	.	—	—	.	.	1	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

Table 2.—Deaths registered during week ended Saturday, 19th July, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

Age Group	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
45–64	21	.	.	.	.	.	.	.	.	.	7	.	.	.	.	.	14
65 and over	41	1	.	.	.	.	.	.	.	.	8	.	.	6	.	1	25
Total	71	1	.	.	.	.	.	.	.	.	15	.	.	6	1	3	45
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
45–64	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
65 and over	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
Total	8	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	4
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	16	.	.	.	.	.	.	.	.	.	7	.	.	.	.	1	8
65 and over	28	.	.	.	.	.	.	.	.	.	5	.	1	3	.	1	18
Total	47	.	.	.	.	.	.	.	.	.	12	.	1	3	.	3	28

D2285. B20758/.7 G.70. 165.7/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 30. Vol. XCV WEEK ENDED SATURDAY, 26th JULY, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 348—174 boys and 174 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 137. Of these, 2 deaths were due to tuberculosis and 28 to malignant neoplasms. There were 10 accidental deaths, 3 of which were due to transport accidents, 2 to drowning and one to burns.

Among the deaths of infants under one year, one was due to a groin abscess, one to asphyxia and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 615—319 boys and 296 girls, of which 156 boys and 163 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 215, of which 105 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 26th July, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
				Under 1 year of age	65 years and upward	CAUSED BY															
						Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	348	137	3	87	2	.	.	.	.	.	.	.	.	28	.	1	9	1	10	86
DUBLIN COUNTY BOROUGH	539,476	212	82	2	49	1	.	.	.	.	.	.	.	.	16	.	1	7	1	5	51
DUN LAOGHAIRE BOROUGH	47,553	25	7	.	6	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	3
CORK COUNTY BOROUGH	80,011	35	9	.	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	5
LIMERICK COUNTY BOROUGH	50,886	19	10	1	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	6
WATERFORD COUNTY BOROUGH	28,878	4	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
GALWAY BOROUGH	21,219	8	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DUNDALK URBAN DISTRICT	20,154	7	5	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,008	7	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	12	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	2	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
CLONMEL URBAN DISTRICT	10,697	3	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
KILKENNY URBAN DISTRICT	10,607	6	4	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
BELFAST	443,680	138	82	4	52	.	.	.	.	.	—	—	.	—	—	.	7	2	1	—	—
DERRY	50,095	21	5	.	5	.	.	.	.	.	—	—	.	—	—	.	.	1	.	—	—

Notes: The populations given are those ascertained at the Census of 31st April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 26th July, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	9	1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	5
45–64	22	.	.	.	.	.	.	.	.	.	8	.	1	1	.	1	11
65 and over	49	.	.	.	.	.	.	.	.	.	7	.	.	5	.	3	34
TOTAL	82	1	.	.	.	.	.	.	.	.	16	.	1	7	1	5	51
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
65 and over	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
TOTAL	9	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	5
	TWELVE OTHER TOWNS																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	4	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
45–64	7	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5
65 and over	33	.	.	.	.	.	.	.	.	.	7	.	.	1	.	1	24
TOTAL	46	1	.	.	.	.	.	.	.	.	11	.	.	1	.	3	30

D2285e B20758/.7 G.70. 165.7/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 31. Vol. XCV WEEK ENDED SATURDAY, 2nd AUGUST, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 334—170 boys and 164 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 143. Of these, 2 deaths were due to tuberculosis, one to diphtheria and 21 to malignant neoplasms. There were 3 accidental deaths, one of which was due to a transport accident and one to drowning. There was one suicide.

Among the deaths of infants under one year, 5 were due to congenital malformation, 2 to asphyxia, 1 to pneumonia, 1 to injury at birth, 1 to fibrocystic disease, 1 to prematurity, 1 to convulsions, 1 to congenital debility and 1 to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 578—312 boys and 266 girls, of which 182 boys and 167 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 209, of which 111 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 2nd August, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	334	143	14	80	2	·	·	1	·	·	·	·	·	21	·	4	3	1	4	107
DUBLIN COUNTY BOROUGH	539,476	215	89	10	47	2	·	·	1	·	·	·	·	·	13	·	1	2	1	2	67
DUN LAOGHAIRE BOROUGH	47,553	14	9	·	7	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	8
CORK COUNTY BOROUGH	80,011	26	12	1	6	·	·	·	·	·	·	·	·	·	3	·	1	·	·	·	8
LIMERICK COUNTY BOROUGH	50,886	26	9	2	3	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2	5
WATERFORD COUNTY BOROUGH	28,878	23	9	·	7	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	6
GALWAY BOROUGH	21,219	7	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
DUNDALK URBAN DISTRICT	20,154	5	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
DROGHEDA URBAN DISTRICT	17,008	3	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
SLIGO URBAN DISTRICT	12,947	1	4	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4
TRALEE URBAN DISTRICT	10,928	3	2	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
BRAY URBAN DISTRICT	10,856	4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
WEXFORD URBAN DISTRICT	10,838	1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
CLONMEL URBAN DISTRICT	10,697	5	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
KILKENNY URBAN DISTRICT	10,607	1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
BELFAST	443,680	130	81	1	57	1	·	·	·	·	—	—	·	—	—	·	11	8	·	—	—
DERRY	50,095	25	6	·	5	·	·	·	·	·	—	—	·	—	—	·	·	·	·	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

and twelve other towns, classified by Cause and Age Group.

Age Group	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	10	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	8
1–4	4	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	2
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
45–64	23	1	.	.	.	.	.	.	.	.	7	.	.	1	.	1	13
65 and over	47	1	.	.	.	.	.	.	.	.	4	.	.	1	.	.	41
Total	89	2	.	.	1	.	.	.	.	.	13	.	1	2	1	2	67
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
65 and over	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4
Total	12	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	8
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
45–64	10	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	7
65 and over	27	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	21
Total	42	.	.	.	.	.	.	.	.	.	5	.	2	1	.	2	32

D2285; B20758/.7 G.70. 165.7/58.DOLLARD

THE ROYAL SOCIETY OF HEALTH LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 32. Vol. XCV WEEK ENDED SATURDAY, 9th AUGUST, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 328—168 boys and 160 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 112. Of these, one death was due to tuberculosis and 18 to malignant neoplasms. There was one accidental death.

Among the deaths of infants under one year, 3 were due to congenital malformation, one to mongolism, one to dermatitis, one to atelectasis, one to injury at birth, one to glioma of brain, one to rhesus incompatability and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 572—291 boys and 281 girls, of which 146 boys and 132 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 173, of which 93 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 9th August, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	328	112	10	67	.	1	.	.	.	.	.	.	.	18	.	2	3	1	1	86
DUBLIN COUNTY BOROUGH	539,476	202	76	8	42	.	1	.	.	.	.	.	.	.	12	.	2	2	1	1	57
DUN LAOGHAIRE BOROUGH	47,553	16	8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	6
CORK COUNTY BOROUGH	80,011	48	7	1	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	5
LIMERICK COUNTY BOROUGH	50,886	20	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
WATERFORD COUNTY BOROUGH	28,878	14	2	.	2	.	.	.	.	.	.	.	.	.		.	.	.	.	.	2
GALWAY BOROUGH	21,219	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	17,008	6	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	6	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	1	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
CLONMEL URBAN DISTRICT	10,697	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	443,680	129	81	10	51	1	1	.	.	.	—	—	.	—	—	.	15	3	1	—	—
DERRY	50,095	17	2	.	2	.	.	.	.	.	—	—	.	—	—	.	.	1	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
45–64	21	.	1	.	.	.	.	.	.	.	6	.	1	.	.	.	13
65 and over	42	.	.	.	.	.	.	.	.	.	6	.	1	2	.	.	33
Total	76	.	1	.	.	.	.	.	.	.	12	.	2	2	1	1	57
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
65 and over	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Total	7	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	5
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
65 and over	21	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	19
Total	29	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	24

D2554. B20758/.8 G.70. 165.8/58.DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 33. Vol. XCV WEEK ENDED SATURDAY, 16th AUGUST, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 381—182 boys and 199 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 138. Of these, 3 deaths were due to tuberculosis and 22 to malignant neoplasms. There was one accidental death.

Among the deaths of infants under one year, 4 were due to broncho-pneumonia, 4 to prematurity, 2 to congenital malformation, 2 to atelectasis, 2 to injury at birth, one to cerebral palsy and one to hyaline membrane.

The total number of births registered during the week in the principal towns, was 625—315 boys and 310 girls, of which 155 boys and 168 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 218, of which 110 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 16th August, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	872,058	381	138	16	82	2	1	.	.	.	.	.	.	.	22	.	10	2	.	1	100
DUBLIN COUNTY BOROUGH	539,476	224	85	10	54	1	1	.	.	.	.	.	.	.	13	.	9	1	.	1	59
DUN LAOGHAIRE BOROUGH	47,553	12	10	1	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	8
CORK COUNTY BOROUGH	80,011	48	22	1	12	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	18
LIMERICK COUNTY BOROUGH	50,886	34	6	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
WATERFORD COUNTY BOROUGH	28,878	14	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
GALWAY BOROUGH	21,219	11	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
SLIGO URBAN DISTRICT	12,947	13	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
TRALEE URBAN DISTRICT	10,928	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	.	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	443,680	149	63	6	43	.	1	.	.	1	—	—	.	—	—	.	9	2	1	—	—
DERRY	50,095	14	7	.	6	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	10	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	7
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
45–64	14	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	11
65 and over	54	1	.	.	.	.	.	.	.	.	11	.	4	1	.	1	36
Total	85	1	1	.	.	.	.	.	.	.	13	.	9	1	.	1	59
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	9	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	6
65 and over	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	11
Total	22	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	18
TWELVE OTHER TOWNS																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
25–44	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	7	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	4
65 and over	16	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	13
Total	31	1	.	.	.	.	.	.	.	.	5	.	1	1	.	.	23

D2555 B20758/.8 G.70. 165.8/58 DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 34. Vol. XCV WEEK ENDED SATURDAY, 23rd AUGUST, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 355—183 boys and 172 girls.

The number of deaths registered, of persons normally residing in the principal towns was 143. Of these, 39 deaths were due to malignant neoplasms. There were 2 accidental deaths.

Among the deaths of infants under one year, 3 were due to congenital malformation, 2 to gastro-enteritis, 2 to prematurity, one to atelectasis, one to injury at birth, one to acute nephritis and one to anaemia.

The total number of births registered during the week in the principal towns, was 582—313 boys and 269 girls, of which 163 boys and 139 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 215, of which 117 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 23rd August, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																		
						CAUSED BY																
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	355	143	12	85	.	.	.	.	.	.	.	.	1	39	.	1	6	2	2	92
DUBLIN COUNTY BOROUGH	539,476	217	89	8	53	.	.	.	.	.	.	.	.	.	24	.	1	4	2	1	57
DUN LAOGHAIRE BOROUGH	47,553	13	8	.	3	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	5
CORK COUNTY BOROUGH	80,011	32	15	1	9	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	10
LIMERICK COUNTY BOROUGH	50,886	27	10	1	6	.	.	.	.	.	.	.	.	1	4	.	.	.	.	.	5
WATERFORD COUNTY BOROUGH	28,878	12	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
GALWAY BOROUGH	21,219	6	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
DUNDALK URBAN DISTRICT	20,154	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	17,008	6	4	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	3	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	6	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
BRAY URBAN DISTRICT	10,856	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	10	5	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
CLONMEL URBAN DISTRICT	10,697	7	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	443,680	132	62	4	42	.	.	.	.	.	—	—	.	—	—	.	6	5	.	—	—
DERRY	50,095	21	4	.	4	.	.	.	.	.	—	—	.	—	—	.	1	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	5
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	8	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	5
45–64	20	.	.	.	.	.	.	.	.	.	5	.	.	1	.	.	14
65 and over	53	.	.	.	.	.	.	.	.	.	16	.	1	3	.	.	33
Total	89	.	.	.	.	.	.	.	.	.	24	.	1	4	2	1	57
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
65 and over	9	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	7
Total	15	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	10
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	12	.	.	.	.	.	.	.	.	1	4	.	.	.	.	.	7
65 and over	23	.	.	.	.	.	.	.	.	.	7	.	.	.	.	1	15
Total	39	.	.	.	.	.	.	.	.	1	12	.	.	.	.	1	25

30 AUG 1958

D2557. B20758/.8 G.70. 165.8/58 DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

THE ROYAL SOCIETY OF HEALTH LIBRARY

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 35. Vol. XCV WEEK ENDED SATURDAY, 30th AUGUST, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 408—200 boys and 208 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 142. Of these, 5 deaths were due to tuberculosis and 23 to malignant neoplasms. There were 5 accidental deaths, 2 of which were due to transport accidents and one to burns. There was one suicide.

Among the deaths of infants under one year, 3 were due to pneumonia, 2 to congenital malformation, 2 to prematurity, 2 to atelectasis, one to injury at birth, one to pulmonary congestion, one to meningococcal septicæmia, one to erythroblastosis and one to pulmonary tuberculosis.

The total number of births registered during the week in the principal towns, was 653—308 boys and 345 girls, of which 171 boys and 187 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 208, of which 110 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 30th August, 1958, for the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	408	142	15	85	5	.	.	.	.	.	.	.	1	23	.	6	5	.	6	96
DUBLIN COUNTY BOROUGH	539,476	254	88	7	53	3	.	.	.	.	.	.	.	.	16	.	4	5	.	5	55
DUN LAOGHAIRE BOROUGH	47,553	18	7	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5
CORK COUNTY BOROUGH	80,011	21	13	.	10	.	.	.	.	.	.	.	.	.	4	.	1	.	.	.	8
LIMERICK COUNTY BOROUGH	50,886	43	9	1	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	7
WATERFORD COUNTY BOROUGH	28,878	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY BOROUGH	21,219	8	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
DUNDALK URBAN DISTRICT	20,154	9	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,008	10	4	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3
SLIGO URBAN DISTRICT	12,947	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	14	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
CLONMEL URBAN DISTRICT	10,697	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	17	6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
BELFAST	443,680	139	61	5	40	2	.	.	.	.	—	—	.	—	—	.	9	5	.	—	—
DERRY	50,095	19	7	.	5	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

TABLE 2.—Deaths registered during week ended Saturday, 30th August, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	7	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3
45–64	20	1	.	.	.	.	.	.	.	.	8	.	.	.	.	1	10
65 and over	53	.	.	.	.	.	.	.	.	.	7	.	1	5	.	2	38
TOTAL	88	3	.	.	.	.	.	.	.	.	16	.	4	5	.	5	55
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
65 and over	10	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	6
TOTAL	13	.	.	.	.	.	.	.	.	.	4	.	1	.	.	.	8
TWELVE OTHER TOWNS																	
Under 1	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	6
1–4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	7	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5
65 and over	22	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	19
TOTAL	41	2	.	.	.	.	.	.	.	1	3	.	1	.	.	1	33

D2556. B20758/.8 G.70. 165.8/58 DOLLARD

THE ROYAL SOCIE
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 36. Vol. XCV WEEK ENDED SATURDAY, 6th SEPTEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 361—177 boys and 184 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 141. Of these, one death was due to tuberculosis and 27 to malignant neoplasms. There were 4 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 2 were due to pneumonia, 2 to prematurity, one to injury at birth, one to septicæmia, one to meningitis and one to acute endocarditis.

The total number of births registered during the week in the principal towns, was 595—294 boys and 301 girls, of which 153 boys and 155 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 224, of which 87 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 6th September, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	361	141	8	92	1	.	.	.	.	.	.	.	1	27	.	3	10	.	4	95
DUBLIN COUNTY BOROUGH	539,476	221	67	5	44	1	.	.	.	.	.	.	.	.	10	.	3	7	.	2	44
DUN LAOGHAIRE BOROUGH	47,553	13	9	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	8
CORK COUNTY BOROUGH	80,011	28	16	.	11	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	10
LIMERICK COUNTY BOROUGH	50,886	30	14	1	9	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	10
WATERFORD COUNTY BOROUGH	28,878	18	10	2	3	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	6
GALWAY BOROUGH	21,219	9	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	8	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,008	9	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	13	5	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3
TRALEE URBAN DISTRICT	10,928	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	2	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
WEXFORD URBAN DISTRICT	10,838	4	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
CLONMEL URBAN DISTRICT	10,697	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
BELFAST	443,680	141	60	4	40	1	.	.	.	.	—	—	.	—	—	.	8	5	.	—	—
DERRY	50,095	11	6	.	3	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

TABLE 2.—Deaths registered during week ended Saturday, 6th September, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																		
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	14	1	.	.	.	.	.	.	.	.	3	.	.	1	.	.	9
65 and over	44	.	.	.	.	.	.	.	.	.	6	.	1	6	.	1	30
TOTAL	67	1	.	.	.	.	.	.	.	.	10	.	3	7	.	2	44
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	4	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1
65 and over	11	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	8
TOTAL	16	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	10
TWELVE OTHER TOWNS																	
Under 1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	17	.	.	.	.	.	.	.	.	.	5	.	.	2	.	1	9
65 and over	37	.	.	.	.	.	.	.	.	1	6	.	.	1	.	1	28
TOTAL	58	.	.	.	.	.	.	.	.	1	11	.	.	3	.	2	41

D2802. B20758/.9 G.70. 165.9/58 DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 37. Vol. XCV WEEK ENDED SATURDAY, 13th SEPTEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 324—169 boys and 155 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 151. Of these, 3 deaths were due to tuberculosis and 23 to malignant neoplasms. There was one accidental death, which was due to a transport accident.

Among the deaths of infants under one year, 6 were due to pneumonia, 4 to injury at birth, 3 to congenital malformation, 3 to atelectasis, one to gastro-enteritis, one to prematurity, one to pneumococcal meningitis, one to erythroblastosis foetalis, one to maternal toxæmia and one to tracheobronchitis.

The total number of births registered during the week in the principal towns, was 581—301 boys and 280 girls, of which 181 boys and 165 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 224, of which 117 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 13th September, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	324	151	22	91	2	1	.	.	.	.	.	.	.	23	.	11	6	1	1	106
DUBLIN COUNTY BOROUGH	539,476	219	90	13	55	.	.	.	.	.	.	.	.	.	16	.	5	4	1	1	63
DUN LAOGHAIRE BOROUGH	47,553	10	6	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5
CORK COUNTY BOROUGH	80,011	22	13	.	10	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	10
LIMERICK COUNTY BOROUGH	50,886	7	9	2	4										2						7
WATERFORD COUNTY BOROUGH	28,878	23	13	3	8	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	9
GALWAY BOROUGH	21,219	8	5	2	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
DUNDALK URBAN DISTRICT	20,154	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		.	.	1
DROGHEDA URBAN DISTRICT	17,008	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
SLIGO URBAN DISTRICT	12,947	.	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
TRALEE URBAN DISTRICT	10,928	.	3	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	5	3	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
WEXFORD URBAN DISTRICT	10,838	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	10	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	443,680	137	66	2	39	.	.	.	.	.	—	—	.	—	—	.	7	.	.	—	—
DERRY	50,095	24	5	.	5	.	.	.	.	.	—	—	.	—	—	.	1	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

[illegible] registered during week ended Saturday, 13th September, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	13	.	.	.	.	.	.	.	.	.	.	.	5	.	1	.	7
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	17	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	14
65 and over	55	.	.	.	.	.	.	.	.	.	12	.	.	4	.	1	38
Total	90	.	.	.	.	.	.	.	.	.	16	.	5	4	1	1	63
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	10	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	8
Total	13	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	10
TWELVE OTHER TOWNS																	
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	7
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	9	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	6
65 and over	26	1	1	.	.	.	.	.	.	.	2	.	4	1	.	.	17
Total	48	2	1	.	.	.	.	.	.	.	5	.	5	2	.	.	33

22 SEP 1958

D2803. B20758/.9 G.70. 165.9/58 DOLLARD

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 38. Vol. XCV WEEK ENDED SATURDAY, 20th SEPTEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 353—193 boys and 160 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 130. Of these, 2 deaths were due to tuberculosis, one to diphtheria and 21 to malignant neoplasms. There were 2 accidental deaths, one of which was due to a transport accident and one to drowning.

Among the deaths of infants under one year, 4 were due to congenital malformation, 2 to broncho-pneumonia, one to septicaemia, one to anoxia and one to pulmonary congestion.

The total number of births registered during the week in the principal towns, was 625—323 boys and 302 girls, of which 184 boys and 182 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 218, of which 110 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 20th September, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	353	130	9	87	2	.	.	1	.	.	.	.	.	21	.	9	6	.	2	89
DUBLIN COUNTY BOROUGH	539,476	247	78	8	52	2	.	.	.	.	.	.	.	.	12	.	7	3	.	1	53
DUN LAOGHAIRE BOROUGH	47,553	12	7	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5
CORK COUNTY BOROUGH	80,011	33	18	.	13	.	.	.	.	.	.	.	.	.	4	.	2	1	.	1	10
LIMERICK COUNTY BOROUGH	50,886	22	8	.	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	6
WATERFORD COUNTY BOROUGH	28,878	5	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
GALWAY BOROUGH	21,219	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	1
DUNDALK URBAN DISTRICT	20,154	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	17,008	10	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
SLIGO URBAN DISTRICT	12,947	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	1	6	.	5	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	4
KILKENNY URBAN DISTRICT	10,607	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
BELFAST	443,680	157	71	3	43	1	.	.	.	1	—	—	.	—	—	.	6	5	.	—	—
DERRY	50,095	12	6	.	5	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 20th September, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	6
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	5	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
45–64	13	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	9
65 and over	52	.	.	.	.	.	.	.	.	.	8	.	4	3	.	.	37
TOTAL	78	2	.	.	.	.	.	.	.	.	12	.	7	3	.	1	53
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3
65 and over	13	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	7
TOTAL	18	.	.	.	.	.	.	.	.	.	4	.	2	1	.	1	10
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
45–64	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
65 and over	22	.	.	.	.	.	.	.	.	.	5	.	.	1	.	.	16
TOTAL	34	.	.	.	1	.	.	.	.	.	5	.	.	2	.	.	26

D2804. B20758/.9 G.70. 165.9/58 DOLLART

THE ROYAL SOCIETY
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 39. Vol. XCV WEEK ENDED SATURDAY, 27th SEPTEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each own are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 361—195 boys and 166 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 133. Of these, 3 deaths were due to tuberculosis, and 24 to malignant neoplasms. There were 3 accidental deaths, one of which was due to drowning.

Among the deaths of infants under one year, 3 were due to congenital malformation, one to broncho-pneumonia, one to rhesus incompatability, one to asphyxia and one to injury at birth.

The total number of births registered during the week in the principal towns, was 559—251 boys and 308 girls, of which 172 boys and 145 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 202, of which 107 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 27th September, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	361	133	8	79	3	.	.	.	.	.	.	.	.	24	.	4	6	.	3	93
DUBLIN COUNTY BOROUGH	539,476	211	83	8	49	1	.	.	.	.	.	.	.	.	16	.	3	5	.	2	56
DUN LAOGHAIRE BOROUGH	47,553	21	8	.	5	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6
CORK COUNTY BOROUGH	80,011	41	18	.	14	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	15
LIMERICK COUNTY BOROUGH	50,886	31	9	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	7
WATERFORD COUNTY BOROUGH	28,878	9	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
GALWAY BOROUGH	21,219	3	7	.	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	4
DUNDALK URBAN DISTRICT	20,154	10	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO URBAN DISTRICT	12,947	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,928	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	5	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	443,680	156	71	3	43	2	.	.	.	.	—	—	.	—	—	.	11	2	.	—	—
DERRY	50,095	21	6	.	4	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

Notes:—The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 27th September, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	6
1–4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	5	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2
45–64	18	.	.	.	.	.	.	.	.	.	7	.	.	.	.	.	11
65 and over	49	1	.	.	.	.	.	.	.	.	7	.	2	3	.	1	35
TOTAL	83	1	.	.	.	.	.	.	.	.	16	.	3	5	.	2	56
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
65 and over	14	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	11
TOTAL	18	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	15
TWELVE OTHER TOWNS																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	13	2	.	.	.	.	.	.	.	.	3	.	.	.	.	.	8
65 and over	16	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	13
TOTAL	32	2	.	.	.	.	.	.	.	.	6	.	1	.	.	1	22

D2805. B20758/9. G.70. 165.9/58 DOLLART

THE ROYAL SOCIETY OF HEALTH LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 40. Vol. XCV WEEK ENDED SATURDAY, 4th OCTOBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 319—175 boys and 144 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 134. Of these, 5 deaths were due to tuberculosis, and 18 to malignant neoplasms. There were 6 accidental deaths, 2 of which were due to transport accidents.

Among the deaths of infants under one year, 5 were due to prematurity, 3 to congenital malformation, one to pneumonia and one to sclerema neonatorum.

The total number of births registered during the week in the principal towns, was 553—303 boys and 250 girls, of which 171 boys and 151 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 211, of which 114 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 4th October, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	319	134	10	80	4	1	.	.	.	.	.	.	.	18	.	3	1	.	6	101
DUBLIN COUNTY BOROUGH	539,476	219	91	8	53	3	.	.	.	.	.	.	.	.	11	.	2	1	.	5	69
DUN LAOGHAIRE BOROUGH	47,553	14	6	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
CORK COUNTY BOROUGH	80,011	30	18	1	11	1	1	.	.	.	.	.	.	.	5	.	1	.	.	.	10
LIMERICK COUNTY BOROUGH	50,886	2	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
WATERFORD COUNTY BOROUGH	28,878	15	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
GALWAY BOROUGH	21,219	9	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	17,008	9	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	7	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	4	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
BELFAST	443,680	160	81	2	51	1	.	.	.	.	—	—	.	—	—	.	9	3	1	—	—
DERRY	50,095	18	4	1	1	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

TABLE 2.—Deaths registered during week ended Saturday, 4th October, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1
15–24	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
25–44	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
45–64	18	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	14
65 and over	53	1	.	.	.	.	.	.	.	.	9	.	.	.	.	1	42
TOTAL	91	3	.	.	.	.	.	.	.	.	11	.	2	1	.	5	69
	CORK COUNTY BOROUGH																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	3	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.
65 and over	11	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	8
TOTAL	18	1	1	.	.	.	.	.	.	.	5	.	1	.	.	.	10
	TWELVE OTHER TOWNS																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
65 and over	16	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	14
TOTAL	25	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	22

D3097. B20758/10. G.70. 165.10/58.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 41. Vol. XCV WEEK ENDED SATURDAY, 11th OCTOBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 388—217 boys and 171 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 142. Of these, 2 deaths were due to tuberculosis, and 21 to malignant neoplasms. There were 3 accidental deaths, one of which was due to a transport accident and one to drowning.

Among the deaths of infants under one year, 3 were due to congenital malformation, 2 to atelectasis, 2 to injury at birth, one to pneumonia, one to sub-arachnoid haemorrhage, one to haemolytic disease and one to cardiac failure.

The total number of births registered during the week in the principal towns, was 646—353 boys and 293 girls, of which 180 boys and 154 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 231, of which 106 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 11th October, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	388	142	11	82	2	.	.	.	.	.	.	.	.	21	.	3	7	.	3	106
DUBLIN COUNTY BOROUGH	539,476	224	81	7	43	.	.	.	.	.	.	.	.	.	14	.	1	6	.	1	59
DUN LAOGHAIRE BOROUGH	47,553	19	6	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5
CORK COUNTY BOROUGH	80,011	19	18	.	12	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	14
LIMERICK COUNTY BOROUGH	50,886	46	12	2	8	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	9
WATERFORD COUNTY BOROUGH	28,878	19	9	1	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	7
GALWAY BOROUGH	21,219	8	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
DUNDALK URBAN DISTRICT	20,154	12	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO URBAN DISTRICT	12,947	13	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
TRALEE URBAN DISTRICT	10,928	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
CLONMEL URBAN DISTRICT	10,697	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
KILKENNY URBAN DISTRICT	10,607	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	443,680	169	70	2	41	1	.	.	.	.	—	—	.	—	—	1	7	6	1	—	—
DERRY	50,095	19	2	.	1	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

TABLE 2.—Deaths registered during week ended Saturday, 11th October, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
1–4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3
45–64	23	.	.	.	.	.	.	.	.	.	6	.	.	1	.	.	16
65 and over	43	.	.	.	.	.	.	.	.	.	6	.	1	4	.	.	32
Total	81	.	.	.	.	.	.	.	.	.	14	.	1	6	.	1	59
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
65 and over	12	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	10
Total	18	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	14
TWELVE OTHER TOWNS																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	8	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	3
65 and over	27	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	25
Total	43	.	.	.	.	.	.	.	.	.	5	.	2	1	.	2	33

D3094. B20758/10. G.70. 165.10/58.DOLLARD

THE ROYAL SOCIETY for the Promotion of Health LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 42. Vol. XCV Week Ended Saturday, 18th October, 1958 Price 2d. Net

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 405—217 boys and 188 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 161. Of these, 3 deaths were due to tuberculosis, and 31 to malignant neoplasms. There were 3 accidental deaths, all of which were due to transport accidents.

Among the deaths of infants under one year, 3 were due to prematurity, 3 to pneumonia, one to congenital malformation, and one to haemolytic disease.

The total number of births registered during the week in the principal towns, was 706—390 boys and 316 girls, of which 208 boys and 186 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 229, of which 118 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 18th October, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
				Under 1 year of age	65 years and upward	CAUSED BY															
						Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	405	161	8	101	3	.	.	.	.	.	.	.	.	31	.	4	11	.	3	109
DUBLIN COUNTY BOROUGH	539,476	268	95	5	57	2	.	.	.	.	.	.	.	.	21	.	3	9	.	1	59
DUN LAOGHAIRE BOROUGH	47,553	10	14	.	8	.	.	.	.	.	.	.	.	.	4	.	.	.	.	1	9
CORK COUNTY BOROUGH	80,011	50	16	1	12	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	12
LIMERICK COUNTY BOROUGH	50,886	13	6	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5
WATERFORD COUNTY BOROUGH	28,878	13	4	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
GALWAY BOROUGH	21,219	10	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
DUNDALK URBAN DISTRICT	20,154	8	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,008	7	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	4	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
WEXFORD URBAN DISTRICT	10,838	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
CLONMEL URBAN DISTRICT	10,697	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BELFAST	443,680	153	74	5	48	.	1	.	.	.	—	—	.	—	—	.	12	3	.	—	—
DERRY	50,095	17	4	.	1	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A death (—) indicates that the information is not available.

TABLE 1. Deaths registered during week ended Saturday, 18th October, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
45–64	30	1	.	.	.	.	.	.	.	.	8	.	1	2	.	.	18
65 and over	57	1	.	.	.	.	.	.	.	.	13	.	.	7	.	.	36
Total	95	2	.	.	.	.	.	.	.	.	21	.	3	9	.	1	59
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	12	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	10
Total	16	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	12
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
45–64	13	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	9
65 and over	32	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	26
Total	50	.	.	.	.	.	.	.	.	.	10	.	.	.	.	2	38

D3095. B20758/10. G.70. 165.10/58.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 43. Vol. XCV WEEK ENDED SATURDAY, 25th OCTOBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 344—175 boys and 169 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 134. Of these, 6 deaths were due to tuberculosis, and 17 to malignant neoplasms. There were 6 accidental deaths, 3 of which were due to transport accidents, and one to burns.

Among the deaths of infants under one year, 3 were due to atelectasis, one to congenital malformation, one to injury at birth, one to hyaline membrane disease, one cerebral anoxia, one to Bacillus coli infection, and one to glycogen storage disease.

The total number of births registered during the week in the principal towns, was 597—312 boys and 285 girls, of which 167 boys and 142 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 217, of which 117 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 25th October, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	872,058	344	134	10	89	5	1	.	.	.	.	.	.	1	17	.	3	9	.	6	92
DUBLIN COUNTY BOROUGH	539,476	209	89	8	55	1	1	.	.	.	.	.	.	.	10	.	3	5	.	5	64
DUN LAOGHAIRE BOROUGH	47,553	19	7	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	4
CORK COUNTY BOROUGH	80,011	43	10	.	7	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	7
LIMERICK COUNTY BOROUGH	50,886	13	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
WATERFORD COUNTY BOROUGH	28,878	11	6	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
GALWAY BOROUGH	21,219	6	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	9	4	.	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,008	7	4	.	3	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
SLIGO URBAN DISTRICT	12,947	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
TRALEE URBAN DISTRICT	10,928	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	5	4	.	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
WEXFORD URBAN DISTRICT	10,838	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL URBAN DISTRICT	10,697	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	5	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
BELFAST	443,680	160	81	6	48	.	.	.	.	.	—	—	.	—	—	.	15	4	1	—	—
DERRY	50,095	23	2	.	2	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A death (—) indicates that the information [illegible]

and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Pneumonia	Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	7
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
45–64	22	.	.	.	.	.	.	.	.	.	3	.	1	2	.	1	15
65 and over	55	.	1	.	.	.	.	.	.	.	7	.	1	2	.	3	41
Total	89	1	1	.	.	.	.	.	.	.	10	.	3	5	.	5	64
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
45–64	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
65 and over	7	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5
Total	10	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	7
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
65 and over	27	2	.	.	.	.	.	.	.	.	6	.	.	3	.	.	16
Total	35	3	.	.	.	.	.	.	.	1	6	.	.	3	.	1	21

D3096. B20758/10. G.70. 165.10/58.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 44. Vol. XCV WEEK ENDED SATURDAY, 1st NOVEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 361—197 boys and 164 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 134. Of these, 2 deaths were due to tuberculosis, and 23 to malignant neoplasms. There were 2 accidental deaths, both of which were due to transport accidents.

Among the deaths of infants under one year, 6 were due to congenital malformation, 3 to prematurity, 2 to injury at birth, 2 to broncho-pneumonia, one to atelectasis, one to haemolytic disease of newborn, one to an enlarged thymus, one to staphylococcal septicæmia and one to congenital debility.

The total number of births registered during the week in the principal towns, was 632—329 boys and 303 girls, of which 191 boys and 172 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 204, of which 118 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 1st November, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	361	134	20	75	1	1	.	.	.	.	.	.	2	23	1	3	6	1	2	94
DUBLIN COUNTY BOROUGH	539,476	251	83	14	47	.	1	.	.	.	.	.	.	2	14	.	2	1	.	1	62
DUN LAOGHAIRE BOROUGH	47,553	9	7	.	6	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	4
CORK COUNTY BOROUGH	80,011	48	16	2	9	.	.	.	.	.	.	.	.	.	5	.	.	1	1	.	9
LIMERICK COUNTY BOROUGH	50,886	18	9	2	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	5
WATERFORD COUNTY BOROUGH	28,878	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY BOROUGH	21,219	5	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
BRAY URBAN DISTRICT	10,856	4	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
WEXFORD URBAN DISTRICT	10,838	9	5	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4
CLONMEL URBAN DISTRICT	10,697	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	443,680	153	76	4	50	.	.	.	.	1	—	—	.	—	—	.	12	6	.	—	—
DERRY	50,095	9	9	.	7	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

Notes.—The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 1st November, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	14	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	12
1–4	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3
45–64	15	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	10
65 and over	47	.	.	.	.	.	.	.	.	.	10	.	.	.	.	.	37
TOTAL	83	.	1	.	.	.	.	.	.	2	14	.	2	1	.	1	62
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	.
65 and over	9	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	8
TOTAL	16	.	.	.	.	.	.	.	.	.	5	.	.	1	1	.	9
TWELVE OTHER TOWNS																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
45–64	9	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	5
65 and over	19	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1	14
TOTAL	35	1	.	.	.	.	.	.	.	.	4	1	1	4	.	1	23

D3563. B20758/11. G.70. 165.11/58.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 45. Vol. XCV WEEK ENDED SATURDAY, 8th NOVEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 372—202 boys and 170 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 158. Of these, 3 deaths were due to tuberculosis, and 27 to malignant neoplasms. There were 4 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 3 were due to congenital malformation, 2 to atelectasis, 2 to injury at birth, one to broncho-pneumonia, one to rhesus incompatability, one to congenital thrombocytopaenia, and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 601—342 boys and 259 girls, of which 193 boys and 147 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 256, of which 128 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 8th November, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	372	158	11	100	3	.	.	.	1	.	.	.	1	27	.	1	4	1	4	116
DUBLIN COUNTY BOROUGH	539,476	234	90	9	53	2	.	.	.	1	.	.	.	1	16	.	1	.	.	2	67
DUN LAOGHAIRE BOROUGH	47,553	21	12	.	7	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	8
CORK COUNTY BOROUGH	80,011	34	24	.	18	1	.	.	.	.	.	.	.	.	4	.	.	1	.	.	18
LIMERICK COUNTY BOROUGH	50,886	12	10	1	6	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	6
WATERFORD COUNTY BOROUGH	28,878	19	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
GALWAY BOROUGH	21,219	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	20,154	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
DROGHEDA URBAN DISTRICT	17,008	10	6	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5
SLIGO URBAN DISTRICT	12,947	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	9	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
CLONMEL URBAN DISTRICT	10,697	8	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
BELFAST	443,680	127	92	2	54	1	.	.	.	.	—	—	.	—	—	.	11	2	.	—	—
DERRY	50,095	18	6	.	4	.	.	.	.	.	—	—	.	—	—	.	.	2	.	—	—

Notes:—The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 8th November, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3
45–64	21	.	.	.	.	.	.	.	.	.	8	.	.	.	.	.	13
65 and over	53	2	.	.	.	.	.	.	.	1	6	.	.	.	.	1	43
TOTAL	90	2	.	.	.	1	.	.	.	1	16	.	1	.	.	2	67
	CORK COUNTY BOROUGH																
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	5	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3
65 and over	18	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	14
TOTAL	24	1	.	.	.	.	.	.	.	.	4	.	.	1	.	.	18
	TWELVE OTHER TOWNS																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	9	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	4
65 and over	29	.	.	.	.	.	.	.	.	.	2	.	.	3	.	2	22
TOTAL	44	.	.	.	.	.	.	.	.	.	7	.	.	3	1	2	31

D3564. B20758/11. G.70. 165.11/58.DOLLARD

THE ROYAL SOCIETY
LIBRARY

ÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

o. 46. Vol. XCV WEEK ENDED SATURDAY, 15th NOVEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns over 10,000 population, are given in Table 1. The figures for deaths shown in respect of ch town relate to persons who normally resided in that town, while deaths of non-residents ve been excluded. Similarly only the figures for births to mothers normally residing in each wn are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the incipal towns, was 311—161 boys and 150 girls.

The number of deaths registered, of persons normally residing in the principal towns, s 148. Of these, 4 deaths were due to tuberculosis, and 28 to malignant neoplasms. There re 4 accidental deaths, 3 of which were due to transport accidents. There were 2 suicides.

Among the deaths of infants under one year, 4 were due to congenital malformation, 4 to lectasis, 2 to prematurity, one to broncho-pneumonia, and one to neo-natal infection.

The total number of births registered during the week in the principal towns, was 522—9 boys and 233 girls, of which 142 boys and 132 girls were registered in Dublin County orough.

The total number of deaths registered in the principal towns was 217, of which 107 were gistered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 15th November, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	311	148	13	94	4	.	.	.	.	.	.	.	1	28	.	3	2	.	6	104
DUBLIN COUNTY BOROUGH	539,476	191	84	7	56	2	.	.	.	.	.	.	.	1	18	.	.	2	.	4	57
DUN LAOGHAIRE BOROUGH	47,553	15	10	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
CORK COUNTY BOROUGH	80,011	16	17	2	6	.	.	.	.	.	.	.	.	.	6	.	.	.	.	1	10
LIMERICK COUNTY BOROUGH	50,886	32	8	1	3	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	3
WATERFORD COUNTY BOROUGH	28,878	15	9	2	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
GALWAY BOROUGH	21,219	9	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	17,008	6	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO URBAN DISTRICT	12,947	5	6	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
TRALEE URBAN DISTRICT	10,928	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	3	4	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
CLONMEL URBAN DISTRICT	10,697	4	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
KILKENNY URBAN DISTRICT	10,607	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	443,680	157	100	9	63	1	.	.	.	1	—	—	.	—	—	.	17	6	.	—	—
DERRY	50,095	21	4	.	3	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

TABLE 2.—Deaths registered during week ended Saturday, 15th November, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	6
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
45–64	19	1	.	.	.	.	.	.	.	1	7	.	.	1	.	1	8
65 and over	56	1	.	.	.	.	.	.	.	.	11	.	.	1	.	.	43
TOTAL	84	2	.	.	.	.	.	.	.	1	18	.	.	2	.	4	57
	CORK COUNTY BOROUGH																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	8	.	.	.	.	.	.	.	.	.	5	.	.	.	.	1	2
65 and over	6	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5
TOTAL	17	.	.	.	.	.	.	.	.	.	6	.	.	.	.	1	10
	TWELVE OTHER TOWNS																
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	8	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	4
65 and over	32	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	28
TOTAL	47	2	.	.	.	.	.	.	.	.	4	.	3	.	.	1	37

D3565. B20758/11. G.70. 165.11/58.DOLLARD

THE ROYAL SOCIETY
for the Promotion
of Health
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 47. Vol. XCV WEEK ENDED SATURDAY, 22nd NOVEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 360—186 boys and 174 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 180. Of these, 3 deaths were due to tuberculosis, and 37 to malignant neoplasms. There were 4 accidental deaths, 2 of which were due to transport accidents, one to drowning and one to burns. There were 2 suicides.

Among the deaths of infants under one year, 5 were due to congenital malformation, 2 to atelectasis, 2 to prematurity, 2 to pneumonia, one to respiratory infection, one to asphyxia, one to parotitis and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 613—308 boys and 305 girls, of which 153 boys and 151 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 259, of which 149 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 22nd November, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
TOTAL 14 TOWNS	872,058	360	180	16	106	3	.	.	.	.	.	.	.	1	37	1	5	11	1	6	115
DUBLIN COUNTY BOROUGH	539,476	217	113	12	65	2	.	.	.	.	.	.	.	1	25	.	5	9	.	3	68
DUN LAOGHAIRE BOROUGH	47,553	20	8	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
CORK COUNTY BOROUGH	80,011	26	16	2	11	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	11
LIMERICK COUNTY BOROUGH	50,886	25	11	1	7	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	7
WATERFORD COUNTY BOROUGH	28,878	13	6	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4
GALWAY BOROUGH	21,219	8	7	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5
DUNDALK URBAN DISTRICT	20,154	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	7	6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	4
SLIGO URBAN DISTRICT	12,947	10	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	2	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
WEXFORD URBAN DISTRICT	10,838	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	18	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2
BELFAST	443,680	170	96	5	60	.	1	.	.	.	—	—	.	—	—	.	11	4	.	—	—
DERRY	50,095	21	8	1	4	.	.	.	.	.	—	—	.	—	—	.	.	.	1	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 22nd November, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	12	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	9
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1	1
45–64	27	1	.	.	.	.	.	.	.	.	8	.	.	.	.	1	17
65 and over	65	1	.	.	.	.	.	.	.	1	13	.	2	7	.	1	40
TOTAL	113	2	.	.	.	.	.	.	.	1	25	.	5	9	.	3	68
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
65 and over	11	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	8
TOTAL	16	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	11
TWELVE OTHER TOWNS																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3
45–64	12	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	6
65 and over	30	.	.	.	.	.	.	.	.	.	5	.	.	1	.	.	24
TOTAL	51	.	.	.	.	.	.	.	.	.	11	.	.	1	.	3	36

D3566. B20758/11. G.70. 165.11/58.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 48. Vol. XCV WEEK ENDED SATURDAY, 29th NOVEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 307—177 boys and 130 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 149. Of these, 5 deaths were due to tuberculosis, and 32 to malignant neoplasms. There were 4 accidental deaths, one of which was due to a transport accident, one to drowning and one to burns. There was one suicide.

Among the deaths of infants under one year, 3 were due to pneumonia, 2 to congenital malformation, 2 to prematurity, 2 to injury at birth, and one to gastro-enteritis.

The total number of births registered during the week in the principal towns, was 542—297 boys and 245 girls, of which 161 boys and 114 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 229, of which 123 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 29th November, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	307	149	10	84	5	.	.	.	.	.	.	.	.	32	1	10	7	1	5	88
DUBLIN COUNTY BOROUGH	539,476	194	96	7	50	4	.	.	.	.	.	.	.	.	17	.	9	5	1	3	57
DUN LAOGHAIRE BOROUGH	47,553	14	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
CORK COUNTY BOROUGH	80,011	30	18	2	11	1	.	.	.	.	.	.	.	.	4	.	1	1	.	1	10
LIMERICK COUNTY BOROUGH	50,886	21	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
WATERFORD COUNTY BOROUGH	28,878	9	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
GALWAY BOROUGH	21,219	3	7	.	4	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	4
DUNDALK URBAN DISTRICT	20,154	5	6	.	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	3
DROGHEDA URBAN DISTRICT	17,008	3	3	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
SLIGO URBAN DISTRICT	12,947	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
TRALEE URBAN DISTRICT	10,928	5	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,856	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	9	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	2	2	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
BELFAST	443,680	132	90	2	60	.	.	.	.	.	—	—	.	—	—	2	9	7	.	—	—
DERRY	50,095	18	8	.	6	.	.	.	.	.	—	—	.	—	—	.	1	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 29th November, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	7	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	4
1–4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	8	1	.	.	.	.	.	.	.	.	3	.	.	1	.	.	3
45–64	30	3	.	.	.	.	.	.	.	.	5	.	.	.	.	1	21
65 and over	50	.	.	.	.	.	.	.	.	.	9	.	6	4	.	2	29
TOTAL	96	4	.	.	.	.	.	.	.	.	17	.	9	5	1	3	57
	CORK COUNTY BOROUGH																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	2
65 and over	11	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	7
TOTAL	18	1	.	.	.	.	.	.	.	.	4	.	1	1	.	1	10
	TWELVE OTHER TOWNS																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
45–64	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
65 and over	23	.	.	.	.	.	.	.	.	.	6	.	.	1	.	.	16
TOTAL	35	.	.	.	.	.	.	.	.	.	11	1	.	1	.	1	21

D3567. B20758/11. G 70. 165.11/58.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 49. Vol. XCV WEEK ENDED SATURDAY, 6th DECEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 287—148 boys and 139 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 151. Of these, 3 deaths were due to tuberculosis, and 29 to malignant neoplasms. There were 6 accidental deaths, 3 of which were due to transport accidents, 2 to carbon monoxide poisoning and one to burns.

Among the deaths of infants under one year, 4 were due to congenital malformation, 2 to haemolytic disease, one to prematurity, one to injury at birth, one to atelectasis, one to pneumonia and one to meningococcal septicæmia.

The total number of births registered during the week in the principal towns, was 459—233 boys and 226 girls, of which 108 boys and 131 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 217, of which 116 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 6th December, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	287	151	13	89	3	.	.	.	.	.	.	.	1	29	.	7	13	.	6	92
DUBLIN COUNTY BOROUGH	539,476	177	89	7	53		.	.	.	.	.	.	.	1	14	.	5	8	.	5	56
DUN LAOGHAIRE BOROUGH	47,553	15	7	.	2	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	2
CORK COUNTY BOROUGH	80,011	28	12	2	8	1	.	.		.	.	.	.	.	2	.	.	1	.	.	8
LIMERICK COUNTY BOROUGH	50,886	20	20	2	9	2		.	.	.	.	.	.	.	2	.	1	2	.	.	13
WATERFORD COUNTY BOROUGH	28,878	3	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
GALWAY BOROUGH	21,219	12	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
DUNDALK URBAN DISTRICT	20,154	7	4	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
DROGHEDA URBAN DISTRICT	17,008	8	3	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
SLIGO URBAN DISTRICT	12,947	6	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
TRALEE URBAN DISTRICT	10,928	2	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	4	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	10,838	3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
CLONMEL URBAN DISTRICT	10,697	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	2	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BELFAST	443,680	151	117	9	67	.	.	.	.	1	—	—	.	1	—	.	21	11	.	—	—
DERRY	50,095	22	7	.	5	.	.	.	.	.	—	—	.	—	—	.	1	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.
A dash (—) indicates that the information is not supplied.

and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY															
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
DUBLIN COUNTY BOROUGH																	
Under 1	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	5
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
45–64	24	.	.	.	.	.	.	.	.	.	9	.	1	1	.	1	12
65 and over	53	.	.	.	.	.	.	.	.	.	4	.	3	5	.	3	38
TOTAL	89	.	.	.	.	.	.	.	.	1	14	.	5	8	.	5	56
CORK COUNTY BOROUGH																	
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
65 and over	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	6
TOTAL	12	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	8
TWELVE OTHER TOWNS																	
Under 1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	13	1	.	.	.	.	.	.	.	.	7	.	1	.	.	.	4
65 and over	28	.	.	.	.	.	.	.	.	.	6	.	.	4	.	.	18
TOTAL	50	2	.	.	.	.	.	.	.	.	13	.	2	4	.	1	28

D3897. B20758/12. G.70. 165.12/58.DOLLARD

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 50. Vol. XCV WEEK ENDED SATURDAY, 13th DECEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 303—155 boys and 148 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 195. Of these, 6 deaths were due to tuberculosis, and 26 to malignant neoplasms. There were 2 accidental deaths, one of which was due to drowning.

Among the deaths of infants under one year, 3 were due to pneumonia, 2 to prematurity, 2 to congenital malformation, and one to haemolytic anæmia.

The total number of births registered during the week in the principal towns, was 559—297 boys and 262 girls, of which 164 boys and 142 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 279, of which 139 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 13th December, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	303	195	9	115	6	.	.	.	.	.	.	1	.	26	1	15	10	.	2	134
DUBLIN COUNTY BOROUGH	539,476	195	120	7	69	6	.	.	.	.	.	.	.	.	19	1	11	7	.	1	75
DUN LAOGHAIRE BOROUGH	47,553	13	6	.	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4
CORK COUNTY BOROUGH	80,011	33	22	1	13	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	17
LIMERICK COUNTY BOROUGH	50,886	10	13	.	7	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	10
WATERFORD COUNTY BOROUGH	28,878	16	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
GALWAY BOROUGH	21,219	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DUNDALK URBAN DISTRICT	20,154	7	6	.	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4
DROGHEDA URBAN DISTRICT	17,008	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
SLIGO URBAN DISTRICT	12,947	14	5	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	3
TRALEE URBAN DISTRICT	10,928	2	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
BRAY URBAN DISTRICT	10,856	1	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
WEXFORD URBAN DISTRICT	10,838	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
CLONMEL URBAN DISTRICT	10,697	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,607	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
BELFAST	443,680	152	86	2	59	.	.	.	.	.	—	—	.	.	—	.	13	6	.	—	—
DERRY	50,095	17	3	.	3	.	.	.	.	.	—	—	.	—	—	.	.	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 13th December, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	7	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	4
1–4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
25–44	5	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
45–64	37	5	.	.	.	.	.	.	.	.	6	1	1	5	.	1	18
65 and over	69	.	.	.	.	.	.	.	.	.	11	.	7	2	.	.	49
TOTAL	120	6	.	.	.	.	.	.	.	.	19	1	11	7	.	1	75
CORK COUNTY BOROUGH																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45–64	7	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6
65 and over	13	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	9
TOTAL	22	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	17
TWELVE OTHER TOWNS																	
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
25–44	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
45–64	16	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	12
65 and over	33	.	.	.	.	.	.	.	.	.	2	.	1	2	.	1	27
TOTAL	53	.	.	.	.	.	.	.	1	.	6	.	1	2	.	1	42

D3898. B20758/12. G.70. 165.12/58.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 51. Vol. XCV WEEK ENDED SATURDAY, 20th DECEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 306—154 boys and 152 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 199. Of these, one death was due to tuberculosis, and 21 to malignant neoplasms. There were 3 accidental deaths, 2 of which were due to transport accidents. There were 2 suicides.

Among the deaths of infants under one year, 6 were due to congenital malformation, 2 to prematurity, 2 to injury at birth, 2 to gastro-enteritis, one to atelectasis, one to hydrops foetalis and one to pneumonia.

The total number of births registered during the week in the principal towns, was 558—299 boys and 259 girls, of which 185 boys and 151 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 278, of which 149 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 20th December, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	306	199	15	131	1	.	.	.	.	.	.	.	.	21	1	21	13	2	5	135
DUBLIN COUNTY BOROUGH	539,476	199	120	7	84	1	.	.	.	.	.	.	.	.	12	.	16	10	1	4	76
DUN LAOGHAIRE BOROUGH	47,553	16	18	2	10	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	15
CORK COUNTY BOROUGH	80,011	12	17	.	9	.	.	.	.	.	.	.	.	.	3	1	1	1	.	.	11
LIMERICK COUNTY BOROUGH	50,886	27	12	3	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	10
WATERFORD COUNTY BOROUGH	28,878	14	9	2	6	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	5
GALWAY BOROUGH	21,219	5	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
DUNDALK URBAN DISTRICT	20,154	8	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
DROGHEDA URBAN DISTRICT	17,008	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
SLIGO URBAN DISTRICT	12,947	4	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
TRALEE URBAN DISTRICT	10,928	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
BRAY URBAN DISTRICT	10,856	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
WEXFORD URBAN DISTRICT	10,838	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
CLONMEL URBAN DISTRICT	10,697	8	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
KILKENNY URBAN DISTRICT	10,607	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BELFAST	443,680	145	133	6	78	3	.	.	.	1	—	—	.	.	—	.	21	14	.	—	—
DERRY	50,095	18	6	.	5	.	.	.	.	.	—	—	.	—	—	.	1	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 20th December, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	Total Deaths	Deaths caused by: Tuberculosis: Respiratory system	Tuberculosis: Other forms	Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system: Influenza	Diseases of the respiratory system: Pneumonia	Diseases of the respiratory system: Other	Gastro-enteritis (under 2 years)	External causes	Other causes
DUBLIN COUNTY BOROUGH																	
Under 1	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
1-4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5-14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15-24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
25-44	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45-64	26	.	.	.	.	.	.	.	.	.	6	.	1	5	.	.	14
65 and over	84	.	.	.	.	.	.	.	.	.	6	.	15	5	.	3	55
TOTAL	120	1	.	.	.	.	.	.	.	.	12	.	16	10	1	4	76
CORK COUNTY BOROUGH																	
Under 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1-4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5-14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15-24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25-44	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
45-64	7	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	4
65 and over	9	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	6
TOTAL	17	.	.	.	.	.	.	.	.	.	3	1	1	1	.	.	11
TWELVE OTHER TOWNS																	
Under 1	8	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	6
1-4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5-14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15-24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25-44	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45-64	13	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	8
65 and over	38	.	.	.	.	.	.	.	.	.	2	.	3	1	.	.	32
TOTAL	62	.	.	.	.	.	.	.	.	.	6	.	4	2	1	1	48

D3899. B20758/12. G.70. 165.12/58.DOLLARD

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

CÚNNTAS SEACHTAINIÚIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

Compiled by the Central Statistics Office

To be purchased through any Bookseller or directly from

THE GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN

No. 52. Vol. XCV WEEK ENDED SATURDAY, 27th DECEMBER, 1958 PRICE 2d. NET

PRINCIPAL TOWNS

Particulars of births and deaths recorded for the *Principal Towns*, i.e. the fourteen towns of over 10,000 population, are given in Table 1. The figures for deaths shown in respect of each town relate to persons who normally resided in that town, while deaths of non-residents have been excluded. Similarly only the figures for births to mothers normally residing in each town are given in Table 1. Deaths classified by age and cause are shown in Table 2.

The number of births registered during the week, to persons normally residing in the principal towns, was 180—95 boys and 85 girls.

The number of deaths registered, of persons normally residing in the principal towns, was 149. Of these, 4 deaths were due to tuberculosis, and 21 to malignant neoplasms. There were 3 accidental deaths, one of which was due to a transport accident.

Among the deaths of infants under one year, 2 were due to pneumonia, 2 to prematurity, one to congenital malformation, one to atelectasis, one to injury at birth and one to pneumococcal meningitis.

The total number of births registered during the week in the principal towns, was 318—169 boys and 149 girls, of which 94 boys and 83 girls were registered in Dublin County Borough.

The total number of deaths registered in the principal towns was 230, of which 108 were registered in Dublin County Borough.

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 27th December, 1958, which were assigned to the Principal Towns with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION 1956	BIRTHS	DEATHS	DEATHS																	
						CAUSED BY															
				Under 1 year of age	65 years and upward	Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
						Respiratory system	Other forms									Influenza	Pneumonia	Other			
TOTAL 14 TOWNS	872,058	180	149	8	97	3	1	.	.	.	.	.	.	1	21	.	8	11	.	3	101
DUBLIN COUNTY BOROUGH	539,476	108	79	2	53	2	.	.	.	.	.	.	.	1	12	.	4	8	.	1	51
DUN LAOGHAIRE BOROUGH	47,553	10	11	1	8	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	7
CORK COUNTY BOROUGH	80,011	18	31	5	19	.	1	.	.	.	.	.	.	.	1	.	2	3	.	1	23
LIMERICK COUNTY BOROUGH	50,886	18	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3
WATERFORD COUNTY BOROUGH	28,878	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
GALWAY BOROUGH	21,219	4	6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
DUNDALK URBAN DISTRICT	20,154	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
DROGHEDA URBAN DISTRICT	17,008	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
SLIGO URBAN DISTRICT	12,947	.	3	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
TRALEE URBAN DISTRICT	10,928	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
BRAY URBAN DISTRICT	10,856	4	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
WEXFORD URBAN DISTRICT	10,838	4	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
CLONMEL URBAN DISTRICT	10,697	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,607	1	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
BELFAST	443,680	74	97	7	72	.	2	.	.	.	—	—	.	.	—	1	10	14	.	—	—
DERRY	50,095	4	4	.	3	.	.	.	.	.	—	—	.	—	—	.	1	.	.	—	—

Notes: The populations given are those ascertained at the Census of 8th April, 1956.

TABLE 2.—Deaths registered during week ended Saturday, 27th December, 1958, which were assigned to Dublin and Cork County Boroughs and twelve other towns, classified by Cause and Age Group.

AGE GROUP	TOTAL DEATHS	DEATHS CAUSED BY																
		Tuberculosis		Scarlet fever	Diphtheria	Whooping cough	Acute poliomyelitis	Acute infectious encephalitis	Measles	Other infective and parasitic diseases	Malignant neoplasms	Diseases of the respiratory system			Gastro-enteritis (under 2 years)	External causes	Other causes
		Respiratory system	Other forms									Influenza	Pneumonia	Other			
	DUBLIN COUNTY BOROUGH																
Under 1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15–24	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
25–44	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
45–64	20	2	.	.	.	.	.	.	.	.	4	.	1	2	.	.	11
65 and over	53	.	.	.	.	.	.	.	.	1	6	.	3	6	.	1	36
TOTAL	79	2	.	.	.	.	.	.	.	1	12	.	4	8	.	1	51
	CORK COUNTY BOROUGH																
Under 1	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
1–4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
45–64	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4
65 and over	19	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	14
TOTAL	31	.	1	.	.	.	.	.	.	.	1	.	2	3	.	1	23
	TWELVE OTHER TOWNS																
Under 1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1–4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–14	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
15–24	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25–44	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
45–64	9	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	6
65 and over	25	.	.	.	.	.	.	.	.	.	3	.	1	.	.	1	20
TOTAL	39	1	.	.	.	.	.	.	.	.	8	.	2	.	.	1	27

D3900. B20758/12. G.70. 165.12/58.DOLLARD